	·····				Water Well	Record	Form WWC-5	KSA 82a-1212					
		TER WELL:		FRACTION				Section Number	1		Range Nu	nber	
Sedgwick NE 1/4					SE 1/4	SE	1/4	34		S	R 1E	E/W	
Distance and direction frem nearest town or city street address of well if located within city?													
		Hillside			on West s	ide	W	ichita,	Kansas				
	WELL O	11202		CITY OF					<b>n</b> .				
RR#, ST. A		N. M		65000				Board of Agriculture, Divivsion of Water Resource					
CITY, STA				Kansas				67202		Application Numbe	r: 2002009	16	
LOCATE W		DCATION WITH BOX:		EPTH OF			30		LEVATION:		3	6	
<b>│</b>		N T	1	epth(s) groundv		_	1	ft.	2 SURFACE MEASURE	ft.	3 1-8-03	ft.	
]   ]			WEI	L'S STATIC V. Pump tes									
	-NW	NE	Est.	-	•	Vell wa: Vell wa	ter was ter was	ft. ft.	after after	hours pum hours pum		gpm	
ii w ⊢	t		1	Hole Diameter	OI.	n. to		ft.	and	in.	to	gpm ft.	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	İ	The state of the s		L WATER	USED AS:	-	, Public water	-	8 Air condition		njection well		
1.			1	Domestic	3 Feedlot		Dil field wat		9 Dewatering	8	ther (Specify b	elow)	
	-sw	<b>X</b>	2	Irrigation	4 Industrial	7 I	awn and ga	arden only	10 Monitoring	vell			
			Was	a chemical/bac	teriological sam	ıple sub	mitted to D	epartment? Y	es N	X; If yes, m	no/day/yr sampl	e was	
		S	1	mitted		•		-	Vater Well Disinfo	cted? Yes	X No		
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped													
1 Steel		3 RMP (SR)				6 Asbestos-Cement 9 Other (Specify below) Welded							
2 PVC		4 ABS			7 Fiberglass	i				Т	`hreaded		
Blank casin			in.	to	ft., D	ia	in.	to	ft., Dia	in.	to	ft.	
Casing height the tand surface 36 in., weight TYPE OF SCREEN OR PERFORATION MATERIAL:								lbs. / ft.	Wall thickness				
1			MATERIAL:	7 PVC 5 Fiberglass 8 RMP (SR)			10 Asbestos-cement						
2 Statistics Seet						crete tile 9 ABS			11 other (specify) N/A				
			CARR		,			12 None used (open hole) 8 Saw cut 11 None (open hole)					
1	FORATION O	G ARE:		5 Gauzed wrapped			9 Drilled holes						
1 Continous slot 3 Mill slot 2 Louvered shutter 4 Key punched						6 Wire wrapped					<b>'</b> 2		
		•	•		7 7	Torch c			10 Other (	specify) N/	A	_	
SCREEN-P	EKFUF	RATION INTER	(VALS:			ft. to		ft., Fr		ft. to		ft.	
from GRAVEL PACK INTERVALS: from					ft. to			ft., Fr		ft. to		ft.	
'	L PACK INTE	RVALS	: from from	ft. to ft. to			ft., Fr ft., Fr				ft. ft.		
6 GROUT	MATE	RIAL: 1 Nea	t cemen	***	Cement grout	II. U	3 Bent			ntonite h	ole plug		
Grout Inter			ft.		ft. From		ft. t		ft. From 3 ft. to 10 ft.				
What is the nearest source of possible contamination:									estock pens 14 Abandon water well				
1 Septic tank 4 Lateral lines					7 Pit privy			11 Fuel	11 Fuel storage 15 Oil well/Gas well				
2 Sewer lines 5 Cess pool					8 Sewage	1		ilizer storage	16 Other (specify below)				
3 Watertig	ght sewe	r lines 6 See	page pi	t	9 Feedyard 13 Inse			ecticide storage None Apparent					
Direction fr	rom well	!?							How many				
FROM TO LITHOLOGIC LOG							FROM	ТО		PLUGGING INTERVALS surface clay and silt			
<u> </u>							0	3					
				•			3	30	bentonite chlorinat				
<b></b>							20	30	CHIOTINAL	ed Balld a	nd graver		
							·	<b></b>					
					•-								
											· · · · · · · · · · · · · · · · · · ·		
												-	
$\vdash$								<u> </u>					
oxdot						]			ļ				
7 CONTI	RACTO	R'S or landow	NER'S CE	RTIFICATION: T	his water well	was (1	) construc	ted, (2) reco	nstructed, or (3)	plugged unde	er my jurisdict	ion and	
was completed on (mo/day/year)													
					This	Water	Well Reco	rd was com	pleted on				
(mo/day/	yr) <del>.</del>	-10-2003 less name of		m Well c	Dump Ser	vice	. Inc	L	u (piemetura)	7.1	S. Har	<b>A</b>	
Under the	e Dusir	ess name of		×			/ <del></del>	b	y (signature)	URAA	S. VIM	r.	