1 LOCATION OF WATER WELL:	FRACTION	Water Well Recor	d Form WWC-			
		2777	773	Section Number 27	Township Number	Range Number
Sedgwick	NW 1/4		VE 1/4	2/	T 26 s	R 1E E/W
Distance and direction from nearest town or city street address of well if located within city?  Intersection of 45th N. & Hillside, 3/8 m. W. on S. side Wichita, Kansas						
		side, 3/8 m.	W. On	S. Side	Wichita, Kansa	18
WATER WELL OWNER: WICHITA, CITY OF  RR#, ST. ADRESS, BOX#: 455 N. Main  Board of Agriculture, Divission of Water Resource						
CITY, STATE, ZIP CODE: Wichi				_		
	T	APLETED WELL	30	e FIE	Application I	vumper:
LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX:	Depth(s) groundw		1	ft. ELE	varion:	3 ft.
	VELL'S STATIC W				RFACE MEASURED ON mo/da	
	VELL S STATIC W Pump test	_	water was			pumping gpm
NW - NE	st. Yield		water was			pumping gpm
=	ore Hole Diameter	12 <sub>in.</sub>	to 30	ft.	and	in. to ft.
E	ELL WATER TO		5 Public wate		8 Air conditioning	11 Injection well
	1 Domestic	3 Feedlot	6 Oil field wa	ater supply	9 Dewatering	12 Other (Specify below)
	2 Irrigation	4 Industrial	7 Lawn and	garden only 10	0 Monitoring well	
	Vas a chemical/bact	eriological sample s	submitted to 1	Department? Yes	No X; If y	es, mo/day/yr sample was
S submitted Water Well Disinfected? Yes X No						
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped						
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded						
<u>2 PVC</u> 4 ABS		7 Fiberglass	S	DR-26		Threaded
1 -	n. to 20	ft., Dia	in.		•	in. to ft.
Casing height above land surface 12	in.,	weight 2			Wall thickness or gauge I	
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)						
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized steel		6 Concrete tile		ABS	11 other (sp	• •
SCREEN OR PERFORATION OPEN	INC ADE.			ABS	8 Saw cut	ed (open hole) 11 None (open hole)
l			5 Gauzed wrapped		9 Drilled holes	11 None (open noie)
2 I amount chatter A IV					10 Other (specify)	
SCREEN-PERFORATION INTERVA	7 Torc					
SCREEN-PERFORATION INTERVA			to 30	ft., From	_	. to ft.
CDAVEL BACK INTERV	from ALS: from 20		to	ft., From		to ft.
GRAVEL PACK INTERVA	rom 20			ft., From ft., From		to ft.
from ft. to ft., From ft. to  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug						
<u> </u>	ft. to 20	ft. From	ft.		ft. From	ft. to ft.
What is the nearest source of possible o	contamination:	tt. From	16.	10 Livestoc		14 Abandon water well
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel sto	rage	15 Oil well/Gas well
2 Sewer lines 5 Cess pool		8 Sewage lagoon			er storage	16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent						ne Apparent
Direction from well?					How many feet?	
	THOLOGIC LOG		FROM	то	PLUGGING I	NTERVALS
0   4   topsoil   4   15   clay			_			
4   15   clay 15   22   fine sand			<del></del>			
22 30 shale		· · · · · · · · · · · · · · · · · · ·		+ +		
VV DMGIG			1	<del>                                     </del>		
				1		
				+ +		
					The second secon	The second secon
						A (1.10 A A A A A A A A A A A A A A A A A
				1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and						
was completed on (mo/day/year)	1-20-200	) 3	and this	record is true to	the best of my knowle	edge and belief. Kansas
Water Well Contractor's License I	No236	This Wat	er Well Rec	ord was complet	ted on	
(mo/day/yr) 1-22-2003						
Under the business name of Harp Well & Pump Service, Inc by (signature) Todd S. Harp						