Lincor	ION OF WAREN WITH		EDACTION		Water Well Rec	ord Form WWC				T - 3		
ப	ION OF WATER WELL:		FRACTION			4	Section Numb	26	umber	Range Numl		
	Sedgwick	· alta- atma	SE	1/4 SE		SE 1/4	28	т 26	S	R 1E	E/W	
Distance and direction frem nearest town or city street address of well if located within city? 3859 North Hydraulic Wichita, Kansas												
WATER WELL OWNER: WHITETURKEY, Donna												
RR#, S1		859 N.						Boa	rd of Agriculture, D	livivsion of Water Reso	ource	
CITY, S	STATE, ZIP CODE : W	<i>l</i> ichita	, Kans	as	67219 Application Number:							
	E WELL'S LOCATION WIT	гн 4 І	рертн оі	P1449	Q WELI	27		ELEVATION:				
AN "X"	IN SECTION BOX:	I		oundwater k			ft.	2	ft.	3	ft.	
[WE		FIC WATE			T. BELOW LAND	SURFACE MEASURE		1-31-03		
'	NW NE -			np test data:		l water was	ft.		hours pum		gpm	
ij w			Yield	gpn		ll water was	ft.		hours pum	. 0	gpm	
ĮΣw		1~1	Hole Dian L WATE		in. SED AS:	to 5 Public wa	ft. ter supply	and 8 Air conditioni	in. na 11 I	to njection well	ft.	
I Domestic					EUSED AS: 5 Public water supply 8 Air conditioning 11 Injection well 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below						low)	
2 Irrigation					4 Industrial 7 Lawn and garden only 10 Monitoring well							
								X ; If yes, m	no/day/yr sample	was		
S submitted Water Well Disinfected? Yes X No												
5 TYPE OF CASING USED: , 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped												
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded												
2 PVC	4 ABS			7 Fi	iberglass				T	hreaded		
1	ing Diameter 2	in.	to	ft.	., Dia	i		ft., Dia	in.	to f	ft.	
Casing height and eland surface 36 in., TYPE OF SCREEN OR PERFORATION MATERIAL:					weight		lbs. / ft.	Wall thickness	s or gauge No. 10 Asbestos-cement			
1 Steel 3 Stainless Steel					perglass		7 PVC 8 RMP (SR)	DMD (CD)				
J Cites S Stanness Steel					ncrete tile		9 ABS		1 other (specify) N/A 2 None used (open hole)			
SCREEN OR PERFORATION OPENING ARE:					5 Ga	uzed wrappe	1	8 Saw cut		11 None (opei	n hole)	
1 Continous slot 3 Mill slot						re wrapped	•	9 Drilled ho	les			
2 Louvere	ed shutter 4 I	Key punche	d		7 Torch cut 10 Other (specify) N/A				'A			
SCREEN-	-PERFORATION IN	: from	1	ft. to		ft., From		ft. to		ſt.		
from				1	ft. to		ft., From		ft. to		ft.	
GRAVEL PACK INTERVALS: from				1	ft. to		ft., From		ft. to		ſt.	
from				1				From ft. to ft.				
					Cement grout 3 Benton			e 4 Other bentonite hole plug				
Grout Intervals: From 3 ft. to 27 What is the nearest source of possible contamination:				-	ft. From		. to	ft. From		ft. to	ft.	
1 Septic tank 4 Lateral lines				1•	7 Pit privy			estock pens el storage		14 Abandon water well		
2 Sewer lines 5 Cess pool			;	8 Sewage la			rtilizer storage	15 Oil well/Gas well 16 Other (specify below)				
3 Watertight sewer lines 6 Seepage pit					9 Feedyard	~		13 Insecticide storage None Apparent				
	from well?	ovepage p.	•					How many				
FROM TO LITHOLOGIC LOG				LOG		FROM		TO PLUGGING INTERVALS				
					0	3	surface cl					
 					•	3	27	bentonite	hole plu	g		
								1				
				1								
								1				
												
									* ****			
												
		· · · · · · · · · · · · · · · · · · ·						1				
								<u> </u>		ن 		
CONTRACTOR'S or Landowner's Certification: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)1-31-2003 and this record is true to the best of my knowledge and belief. Kansas												
was completed on (mo/day/year)												
(mo/day/yr) 2-3-2003												
Under t	he business name	of Har	p Well	l & Pumj	o Servi	ce, Inc	1	by (signature)	Todd	'S. Harp	,	
										,		