1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Towards Normbon	Range Number
Sedgwick		SE 1/4 SE	, ., ]	28	Township Number	1 172
			1/4		T 20 S	R E/W
Distance and direction frem nearest town or city atreet address of well if located within city?  3859 North Hydraulic Wichita, Kansas						
WATER WELLOWNER: WHITETURKEY, Donna						
	N. Hydraulic				Board of Agriculture, D	divivsion of Water Resource
CITY, STATE, ZIP CODE: Wich	67219			Application Number:		
LOCATE WELL'S LOCATION WITH	4 DEPTH OF	MAG WELL	29	ft. ELF	EVATION:	
AN "X" IN SECTION BOX:	Depth(s) groundw		1	ft.	2 ft.	3 ft.
1	WELL'S STATIC W	ATER LEVEL 21	FT.	BELOW LAND SU	RFACE MEASURED ON mo/day/yr	1-31-03
	Pump test	data: Well wa	ater was	ft.	after hours pum	iping gpm
ا يو ا	Est. Yield	gpm: Well w	ater was	ft.	after hours pum	
E	Bore Hole Diameter	1 <b>.</b>	0	ft.	and in.	to ft.
	WELL WATER 1		Public wate Oil field wa			njection well Other (Specify below)
	2 Irrigation		Lawn and g		0 Monitoring well	ther (openly below)
	1 ~		<u>-</u>			10/day/yr sample was
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted water Well Disinfected? Yes X No						
5 TYPE OF CASING USED: , 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped						
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded						
2 PVC 4 ABS 7 Fiberglass Threaded						
Blank casing Diameter 1 1/4	rin. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing neight account our face	10.,	weight	-	lbs. / ft.	Wall thickness or gauge No. 10 Asbestos-ceme	ent
F Dilameter Com						
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)						
						11 None (open hole)
1 Continous slot 3 Mill s	6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A						'A
SCREEN-PERFORATION INTERVALS: from ft. to ft., From ft. to ft.						
	from	ft. t		ft., Fron	_	ft.
GRAVEL PACK INTERVALS: from				ft., Fron	•	ft.
from		ft. 1	ft. to ft., From			ft
		ement grout	3 Ben	tonite	4 Other bentonite h	
Grout Intervals: From 0 ft. to 1  What is the nearest source of possible contamination:		ft. From	ft. to		ft. From 1 ft. to 29 ft.	
1 Septic tank 4 Lateral lines		7 Pit privy				Abandon water well
2 Sewer lines 5 Cess pool		8 Sewage lagoo			15(	Oil well/Gas well Other (specify below)
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage None Apparent		
Direction from well?  How many feet?						
FROM TO LITHOLOGIC LOG			FROM			RVALS
	<del></del>			cement grout		
	V		1	29	bentonite hole plu	9
			· <del>····································</del>			
		···•				
						**************************************
	***************************************	<u> </u>				
			<u> </u>			<u> </u>
		:	.,,,,,			
				1		
7				4. 1. (2)	44-1 40 1	
7 CONTRACTOR'S OR LANDOWN was completed on (mo/day/yea	er's certification: The $1-31-200$	iis water well was ( <sup>.</sup> 3	1) construc	ted, (2) recons	tructed, or ( <u>3) plugg</u> ed under	er my jurisdiction and
Water Well Contractor's Licens	e No. 236	This Water	and this r Well Reco	rd was comple	eted on	and pener. Nalisas
(mo/daylyr) 2-3-2003						
Under the business name of Harp Well & Pump Service, Inc. by (signature)  Jodd S. Harp						