

1 LOCATION OF WATER WELL: Fraction		Section Number		Township Number		Range Number	
County: Sedgwick NW ¼ NE ¼ NE ¼		17		T 26 S		R 1 EW	
Distance and direction from nearest town or city street address of well if located within city?							
2 WATER WELL OWNER: L & L Snacks				OW: Leeken Family Foods			
RR#, St. Address, Box #: 6209 North Broadway				6223 N. Broadway			
City, State, ZIP Code: Wichita, Ks 67201				Wichita Ks 67201 MW-35			
				Board of Agriculture, Division of Water Resources			
				Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 42 ft. ELEVATION: 1337.96					
		Depth(s) Groundwater Encountered 1 _____ ft. 2 _____ ft. 3 _____ ft.					
		WELL'S STATIC WATER LEVEL 14.39 ft. below land surface measured on mo/day/yr					
		Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm					
		Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm					
		Bore Hole Diameter 8 in. to 42 ft. and _____ in. to _____ ft.					
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
		1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
		2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well					
		Was a chemical/bacteriological sample submitted to Department? Yes _____ No X If yes, mo/day/yr sample was submitted					
		Water Well Disinfected? Yes _____ No X					
5 TYPE OF BLANK CASING USED:							
1 Steel 3 RMP (SR) 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued X Clamped							
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded							
7 Fiberglass Threaded							
Blank casing diameter 2 in. to 32 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.							
Casing height above land surface 0 in., weight .716 lbs./ft. Wall thickness or gauge No. .154							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement							
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)							
12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes							
7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From 32 ft. to 42 ft. From _____ ft. to _____ ft.							
GRAVEL PACK INTERVALS: From 18 ft. to 42 ft. From _____ ft. to _____ ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals From 0 ft. to 2 ft. From 2 ft. to 18 ft. From _____ ft. to _____ ft.							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/ Gas well							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)							
13 Insecticide storage Contaminated site							
Direction from well? How many feet?							
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							
0 3 Dark gray clay							
3 9 Silty clay, slightly sandy							
9 15 Fine to very fine grained silty Sand, loose							
15 42 Sand & gravel, wet, loose							
42 Gray to olive shale							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was							
completed on (mo/day/yr) 11-19-02 and this record is true to the best of my knowledge and belief. Kansas							
Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 2-14-03							
under the business name of Woofter Pump and Well Inc. by (signature)							
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001 Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							

SEC