			WATER W	ELL RECO	ORD F	orm WV	VC-5 K	SA 82a-12	212		
1,1	N OF WATE	R WELL:	FRACTION	N/NY/			TION NUMBE	1	IIP NUMBER		E NUMBER
Sedgy		m nearest town or city:	NW 1/4	NW 1/4		1/4	22	<u> </u>	26 S	R	1E E/W
	& Hydra	•	street address or wer	Wichita,	•						
2 WATE	ER WELL C	WNER: CRO	CE, Bill						Deced of Aco	- u - Di i-i-	-6 Weter Been use
RR#,ST.	ADDRESS		Wyndham								of Water Resource
			ita, Kansas		- 55		P CODE:	51 51 (4 7 (6) 1	Application Nur	nber:	
	E WELL'S LC N "X" IN SEC	TION BOX:	DEPTH OF COMP					ELEVATION:			ft.
1 i 🗀	N T		oth of groundwater ELL'S STATIC WA		12	ft ET RELC		IREACE MEAS	ft. SURED ON mo/o	day/yr: 3	/31/03
	; -N W	NE		mp test data:	Well wat		W LAND 3	ft. after		s of pumping @	
<u>_e</u>		.;-	Est. Yield:	gpm	Well wa	ter was		ft. after	hours	s of pumping @	gpm
w Miles	1	'	ore Hole Diametei		in.	to 5	5 5 ft	. and	in.	to	
 	sw -		ELL WATER TO B . Domestic 3.		. Public wa	ter supply	7. Lawn	and garden on	9. Dewateri	9	njection well
	:				6. Oil fleld w				10. Monitorii		(Specify below
'	S		/as a chemical/bacte				YES	NO	•	_	yr was sample
El TV	DE OF CAC	ING USED:	bmitted				-	Water Well Disi		YES	NO
_	. Steel	3. RPM (SR	5. Wrought	t Iron 7.	. Fiberglass		ther (Specify	y below) CA	ASING JOINTS: (Glued Welded	Threaded Clamped
$\overline{}$. PVC	> 4. ABS	6. Asbestos	s-Cement 8	. Concrete ti	le SD	R-26			vveided	Clampeu
Blank cas	ing diamete	er 5	in. to	25 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing he	eight above	land surface:	12 in.,	,	Weight:	2.35 I	bs. / ft.	Wall	thickness or gau	ge No2	14
	_	OR PERFORATION			PVC		D O	44.0)ther (enerify)		
1. Stee 2. Bras		. Stainless Steel . Galvanized	 Fiberglass Concrete T 	_	RMP (SR)	9. A	.BS Asbestos-Ce		Other (specify) None used (open	hole)	
	-			riie o.	TAME (OTC)	10. 7	13De2103-Ce	ment 12. F	tone asca (open	noic)	
	nuous slot	RATION OPENING 3. Mill si d		Gauzed wrapp	ed	7. To	rch cut	9. D ri	illed holes	11. None	e (open hole)
	red shutte			Wire wrapped			w cut		her (specify)		
		,			4-	55					
SCREEN -	PERFURA	TION INTERVAL	From From	25 ft. ft.	to to	33	ft.,	From From	ft.	to	ft.
l G	RAVEL PAG	CK INTERVALS:	From	24 ft.	to	55	ft., ft.,	From	ft. ft.	to to	ft. ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
6 GROL	JT MATERI	ALS: 1. Neat o		2. Cement	Grout		3. Bentonite			onite hole	
۳	ntervals:	From 4	ft. to	24 ft.,	From	ft.	to	ft.,	From	ft.	to ft.
		ource of possible co	7	'. Pit privy	1	0. Livestoc	k pens		ticide storage	15 Oil we	ell/Gas well
1. Septio		4. Lateral	ines			1. Fuel sto	-		14. Abandon water well 16. Other (specify b		
2. Sewer		5. Cess P	001	. Feed yard		2. Fertilize	_	14. Abail	don water wen		
Direction f	rom well?	East	Je bir		·	2, 0 0, 1,,,,20		How n	nany feet? 12		
From	То	l	LITHOLOGIC	CLOG		From	То		LITHOLO	GIC LOG	
0	3	topsoil						<u> </u>	· · · ·		
<u>3</u> 21	30	clay silty fine sand				<u> </u>		<u> </u>			
30	55	grey shale									
						<u> </u>					
		<u> </u>					<u> </u>				
 			-								
					.						
<u> </u>											
7 Cont	ractor's or L	andowner's Certific		_			constructe		plugged	under my juris	diction and
was con	npleted on	(mo/day/year)	3-31-2003					knowledge and			
Kansas '	Water Well	Contractor's Licens	se No. 2	36 ⊤	his water we	ell record wa	as complete	d on (mo/day/ye	ear) 4-2	-2003	
under th	e business	name of Harp	Well & Pump	Service Ir	1c.	by (si	gnature)	<u></u>	70 dd S	Д.,,	