WATER WELL RECORD Form WWC-5 KSA 82a-1212		
1 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER		
52 114 52 114	/W	
Distance and direction from nearest town or city street address of well if located within city?		
3905 N. Hydraulic Wichita, Kansas		
WATER WELL OWNER: THRONSON, Olaf Board of Agriculture, Division of Water R	esource	
RR#,ST. ADDRESS,BOX #: 3905 N. Hydraulic CITY, STATE: Wichita, Kansas ZIP CODE: Application Number:		
WITH AN 'X' IN SECTION BOX:	ft.	
N Sopii of grounding Linearity	11.	
to the state of th	gpm	
	gpm	
Est. Yield: gpm Well water was ft. after hours of pumping @ Bore Hole Diameter in. to ft. and in. to	ft.	
WELL WATER LUSED AS: 9 Dewatering 11 Injection	vell	
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify	below)	
2. Irrigation 4. Industrial 6. Olf field water supply 8. Air conditioning 10. Monitoring well		
Was a chemical/bacteriological sample submitted to Department? YES NO , If yes, what mo/day/yr was sa submitted submitted Was Water Well Disinfected? YES NO	nple	
	4-4	
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Thre 1. Steel 3. RPM (SR) Welded Clan		
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile	peu	
Blank casing diameter, 6 in. to ft., Dia. in. to ft., Dia. in. to	ft.	
Casing height above lead our feet 36 in., Weight: lbs. / ft. Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A		
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open h	ole)	
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) N/Λ		
SCREEN - PERFORATION INTERVAL From ft. to ft., From ft. to	ft.	
From ft. to ft., From ft. to	ft.	
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to	ft.	
From ft. to ft., From ft. to	ft	
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug		
Grout Intervals: From 0 ft. to 3" ft., From ft. to ft., From 3" ft. to 45' ft.		
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas we	ell .	
1. Septic talk 4. Lateral lines 1. Other (specify helpw)		
2. Sewer mies 5. Cess r con		
Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage Direction from well? East How many feet? 5		
From To LITHOLOGIC LOG From To LITHOLOGIC LOG		
0 3" cement grout		
3" 45' bentonite hole plug		
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and	ರ	
was completed on (mo/day/year) 5-2-2003 and this record is true to the best of my knowledge and belief.		
under the business name of Harp Well & Pump Service Inc. by (signature) Jo d d S. Harp		