		WAIE	K WELL RE	CORD	Form WV	NC-5	KSA 82a-1	212		
1 LOCATION OF WAT	ER WELL:	FRACTION			SEC	TION NUMBI	R TOWNS	HIP NUMBER	ŀ	NUMBER
Sedgwick		SE	1/4 NE	1/4 SE	1/4	28	Т	26 s	R 1	E E/W
Distance and direction fr										
3905 N. Hyd			Wichita, Ka	nsas						
2 WATER WELL	OWNER: TH	RONSON,	Olaf					Board of April	culture, Division of	Mater Beenver
RR#,ST. ADDRES		)5 N. Hydra						Board of Agri	culture, Division of	water nesource
CITY		chita, Kans				IP CODE:		Application Num	ber:	
3 LOCATE WELL'S L		DEPTH OF	tugged w	ELL:	67 ft.		ELEVATION	l:		
WITH AN "X" IN SE	CTION BOX:	epth of ground	water Encounte	red:	ff	t.		ft.		ft.
			C WATER LEVE		FT BELO	OW LAND S	URFACE MEA	SURED ON mo/d	lav/vr: 5/	2/03
	1 1		Pump test dat	_	ater was	)	ft. after		of pumping @	<b>2</b> , 00 gp
NW	NE	Est. Yield:	•		ater was		ft. after		of pumping @	gpr
w N			gpm							_
2 "		Bore Hole Diar WELL WATER	005	in.	to	'	t. and	in.	to	ft.
sw	- se X	1. Domestic	3. Feedlot		ater supply	C7. Lawn	and garden o	9. Dewaterii	·9	ection well
		2. Irrigation	4. Industrial		water supply			10. Monitorin		Specify belov
		•	bacteriological sar			YES	(NO)		vhat mo/day/yr	was sample
		submitted	outeriological sur	ripie sabriikies k	Вераничени.		Water Well Dis	infected?	YES	NO
5 TYPE OF CA	SING USED:			3.51	9.0	ther (Speci	(v below) C	ASING JOINTS:	Glued	Threaded
1. Steel	3. RPM (	SR) 5. Wro	ought Iron	7. Fiberglas	s 9. C	Milei (Speci	y below) C	A01110 3011110.	Welded	Clamped
2. PVC	4. ABS	6. Asb	estos-Cement	<ol><li>Concrete</li></ol>	tile				**Cided	Ciamped
Blank casing diame	ter 6	in. to	ft.,	Dia.	in.	to	ft.,	Dia. i	n. to	ft.
bele		(0						·		
Casing height			n.,	Weight:	'	bs. / ft.	Wall	thickness or gaug	e No.	
TYPE OF SCREEN			-1	7. PVC	9. A	nc.	11	Other (specify)	J/A	
	3. Stainless Steel	5. Fiberg								
2. Brass	4. Galvanized	6. Concr	ete i ile	8. RMP (SR)	10. <i>F</i>	Asbestos-Ce	ement 12.	None used (open i	nole)	
SCREEN OR PERF	ORATION OPENII	NGS ARE:								
1. Continuous sig	t 3. Mill	slot	5. Gauzed wr	apped	7. To	rch cut	9. <b>D</b> :	rilled holes	11. None (	open hole)
2. Louvered shutt	er 4. Kev	punched	6. Wire wrap	ped	8. <b>S</b> a	w cut	10. O	ther (specify) N/	Ά.	
	_									
SCREEN - PERFOR	ATION INTERVAL	- From		ft. t	0	ft.,	From	ft.	to	ft.
		From		ft. t	0	ft.,	From	ft.	to	ft.
GRAVEL PA	ACK INTERVALS:	From		ft.	lo	ft.,	From	ft.	to	ft.
		From		ft.	lo	ft.,	From	ft.	to	ft.
6 GROUT MATER	IAI C									
뜨 .	1. 1100	t cement		ent Grout		3. Bentonit	e	50110	onite hole p	
Grout Intervals:	From	ft.	to f	ft., From	ft.	to	ft.,	From 5	ft. to	67 ft.
What is the nearest s	4. Later		7. Pit privy		10. Livestoo	k pens	13. Inse	cticide storage	15. Oil well/	Gas well
			8. Sewage I	agoon	11. Fuel sto	rane		•		pecify below
2. Sewer lines	5. Cess		_	_		-	14. Abai	ndon water well		pparent
3. Watertight sew	erline 6. Seep	age pit	9. <b>Feed ya</b> rd	3	12. Fertilize	r storage			rone re	pparent
Direction from well?	·	LITUOLO	010100		T-E-	T =	How	many feet?	<u> </u>	
From To		LITHOLO	GIC LOG		From	То	ļ	LITHOLO	GIC LOG	
<del></del>	<del> </del>				<del>  0</del>	5	fill dirt			
<del> </del>					5	67	bentonite	hole plug		
						<del> </del>	<del> </del>			
<del>  </del>						<del> </del>				
	<del> </del>									
							<del> </del>			
						<b></b>			***	
						<u> </u>				
			<del>"</del>		1	<b> </b>				i
	1				1					
7 Contractor's or	andowner's Cort	ification: This	ater well was 4	construct	d 2 ==	constructs	d or 2 (	plugged	nder my juriedia	ction and
<del></del>	Landowner's Certi		0.2			constructe			nder my jurisdio	ction and
7 Contractor's or was completed on		ification: This w	0.2				d or 3. C		nder my jurisdio	ction and
	(mo/day/year)	5-2-20	0.2	and this record	is true to the	best of my		d belief.		ction and
was completed on	(mo/day/year) I Contractor's Lice	5-2-20 inse No.	03 236	and this record This water w	is true to the	best of my	knowledge and	d belief.	2003	ction and