	,	WATER WE	ELL RECORD	Form V	VWC-5	KSA 82a-12	12		
1 LOCATION OF WATE	R WELL:	FRACTION		1	ECTION NUMB		IP NUMBER	RANGE NU	
Sedgwick		SE 1/4	NE 1/4 I	VW 1/4	32	Т 2	26 s	R 1E	Ε/W
Distance and direction from	•		•						
3640 N. Masc		Wichita, I	Kansas						
2 WATER WELL C		Y, John					Board of Agri	iculture, Division of Wa	ater Resource
RR#,ST. ADDRESS	DDRESS,BOX#: 3040 IN. WISSCOL							culture, Division or ***	nei Nesource
CITY,		ta, Kansas			ZIP CODE:		Application Num	nber:	
3 LOCATE WELL'S LO	CATION 4 DE	PTH OF COMPL	LETED WELL:	40	ft.	ELEVATION:			
WITH AN "X" IN SEC	Depth	of groundwater	Encountered:		ft.		ft.		ft.
	WEL	L'S STATIC WAT	TER LEVEL 15	5 FT. BE	LOW LAND S	SURFACE MEAS	URED ON mo/o	day/yr: 5/29/	03
	NE	Pum	np test data: We	ell water was		ft. after	hours	of pumping @	gpm
1 4		Est. Yield:	gpm W	ell water was		ft. after		of pumping @	gpm
w W	E Bore	e Hole Diameter	12 in.	to	40	ft. and	in.	to	ft.
-	WEL	L WATER TO BE	E USED AS:				9. Dewateri	na 11. lnjec	tion well
- ···· 9w · -	9E 1	omestic 3. I	Feedlot 5. Publ	lic water supp	ly 7. Lawn	and garden onl	У	12. Other (Sp	ecify below)
		-		ield water sup		onditioning	10. Monitorir	-	
S	Was subm		ological sample submitt	ted to Departmer		NO		what mo/day/yr wa	· ·
EL TYPE OF OLO		intea			was	Water Well Disin	itected?	=	
5 TYPE OF CAS	3. RPM (SR)	Wrought I	ron 7. Fiber	glass 9	Other (Speci	fy below) CAS	SING JOINTS: (Threaded
2. PVC	> 4. ABS	6. Asbestos-	-Cement 8. Cond	rete tile S	DR-26			Welded	Clamped
Blank casing diamete						4	D'-		
1	•		24 ft., Dia			ft.,	Dia.	in. to	ft.
Casing height above		12 in.,	Weigh	t: 2.35	lbs. / ft.	Wall th	nickness or gaug	ge No214	
	OR PERFORATION M		7 5110			44.0			
	. Stainless Steel	5. Fiberglass	7. PVC		. ABS		ther (specify)		
2. Brass 4	. Galvanized	6. Concrete Til	le 8. RMP ((SR) 10	. Asbestos-Ce	ement 12. No	one used (open	hole)	
SCREEN OR PERFO	RATION OPENINGS	ARE:							
1. Continuous slot	3. Mill slot	5. G	auzed wrapped	7.	Torch cut	9. Dril	led holes	11. None (op	en hole)
2. Louvered shutte	r 4. Key pun	ched 6. W	/ire wrapped	(8.	Saw cut	10. Oth	er (specify)		
SCREEN - PERFORA	•		24 ft.	to 40		_	-		
JOCKEEN - PERFORA	TION INTERVAL	From -			,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PAG	CK INTERVALS:	From	24 ft.	to 40	ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIA	ALS: 1. Neat ce	ment	2. Cement Grout	>	3. Bentonit	e	Other bent	onite hole plu	<u> </u>
Grout Intervals:	From 4	ft. to		rom	ft. to	ft.,	From	ft. to	ft.
What is the nearest so	ource of possible conta	amination:	.	40 I bear					
1. Septic tank 4. Lateral lines					Livestock pens 13. Insecticide storage 15. Oil well/Gas well				
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify								city below)	
3. Watertight sewe		pit 9.	Feed yard	12. Fertil	zer storage				
Direction from well?	East					How m	any feet? 15		
From To	LI	THOLOGIC	LOG	Fror	n To		LITHOLO	GIC LOG	
0 3	topsoil								
3 15	sandy clay			-					
	clay								
17 40	medium sand					 			
						1			
	l								
7 Contractor's or L	andowner's Certificat	tion: This water v	vell was 1. constr	ucted 2.	reconstructe	ed or 3.	plugged	under my jurisdictio	n and
was completed on (5-29-2003				knowledge and	belief.		
					•	•		2002	
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 5-30-2003									
under the business	name of Harp W	ell & Pump	Service Inc.	by	(signature)	7	odd S.	Harn	
1							<u>, u u</u>	UNIP	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,