

1 LOCATION OF WATER WELL:		Fraction	SE SW NE NE		Section Number	Township Number		Range Number	
County: SEDGWICK		SW	1/4	NW	1/4	NE	31	T 26 N S	R 1E EW
Distance and direction from nearest town or city street address of well if located within city?									
3630 N. LITCHFIELD; WICHITA									
2 WATER WELL OWNER: GREG FOWLER									
RR#, St. Address, Box #: 3630 N. LITCHFIELD									
City, State, ZIP Code: WICHITA, KS									
Board of Agriculture, Division of Water Resources									
Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
4 DEPTH OF COMPLETED WELL: 34 ft. ELEVATION:									
Depth(s) Groundwater Encountered 1 18 ft. 2 ft. 3 ft.									
WELL'S STATIC WATER LEVEL 18 ft. below land surface measured on mo/day/yr 9-25-03									
Pump test data: Well water was ft. after hours pumping gpm									
Est. Yield gpm: Well water was ft. after hours pumping gpm									
Bore Hole Diameter 10 in. to 34 ft. and in. to ft.									
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes X No									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
7 Fiberglass Threaded									
Blank casing diameter 5 in. to 34 ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface 16 in. weight 160 lbs./ft. Wall thickness or gauge No. 26									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 24 ft. to 34 ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 22 ft. to 34 ft. From ft. to ft.									
6 GROUT MATERIAL:									
1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/ Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? SOUTH How many feet? 20									
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 2 TOPSOIL									
2 18 CLAY									
18 34 COARSE SAND/GRAVEL									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 9-25-03 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 611 This Water Well Record was completed on (mo/day/yr) 9-25-03									
under the business name of CHASE DRILLING by (signature) RICK CHASE									
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-3545. Send one to WATER WELL OWNER and retain one for your records.									