

1 LOCATION OF WATER WELL: Fraction		Section Number		Township Number		Range Number	
County: Sedgwick NE 1/4 NE 1/4 SW 1/4		8		T 26 S		R 1 EW	
Distance and direction from nearest town or city street address of well if located within city? App. . 25 mls. N of 41st St. N 1/4 1 ml. W of I-135 in Park City, KS							
2 WATER WELL OWNER: El Paso Corp.				2 Wells			
RR#, St. Address, Box #: 2 N. Nevada				Board of Agriculture, Division of Water Resources			
City, State, ZIP Code: Colorado Spring, CO 80903				Application Number: N/A			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 40 ft. ELEVATION:					
		Depth(s) Groundwater Encountered 1. 13 ft. 2. . ft. 3. . ft. WELL'S STATIC WATER LEVEL 13 ft. below land surface measured on mo/day/yr 1/30/04 Pump test data: Well water was N/A ft. after . hours pumping . gpm Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm Bore Hole Diameter 7.5 in. to 4.3 ft., and . in. to . ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. (No); If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes (No)					
5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued. Clamped. 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 1 in. to 38.5 ft., Dia . in. to . ft., Dia . in. to . ft. Casing height above land surface 12 in., weight 2.0399 lbs./ft. Wall thickness or gauge No. Sch 80 TYPE OF SCREEN OR PERFORATION MATERIAL: (PVC) 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 38.5 ft. to 40 ft., From . ft. to . ft. GRAVEL PACK INTERVALS: From 13 ft. to 40 ft., From . ft. to . ft. From . ft. to . ft., From . ft. to . ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 2 ft. to 8 ft., From 3 ft. to 13 ft., From . ft. to . ft. What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? East How many feet? 1/2 mile							
FROM TO LITHOLOGIC LOG				FROM TO PLUGGING INTERVALS			
0 13 Dk. Brown-Silty Clay							
13 20 Gray-Silty Sand (wet)							
20 40 Tan-Sand (wet)							
40 43 Gray-Shale							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 01/30/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 676 This Water Well Record was completed on (mo/day/yr) 02/06/04 under the business name of Whitetail Drilling, LLC by (signature) Andy Baer							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.							