1 LOCATION OF WATER WELL:	WATER W	ELL KE	ויייייי	Form WV	TION NUMBER	SA 82a-1	Z I Z SHIP NUMBER	RANGI	E NUMBER
Sedgwick	NE 1/4	NW	1/4 NW	1/4	30	T	26 s	R	1E E/W
istance and direction from nearest town or city s	treet address of we	Il if located wit	hin city?	•		-			
45th N. and Meridian, 1/4 E.			W	ichita, Ka	nsas				
	HITA, CITY	OF					Board of Ag	griculture, Division	of Water Resource
	i. Main ita, Kansas			70	IP CODE:		Application Nu	ımber: 20	040103
	EPTH OF COMP	DI ETED WE	11: 4	8 ft.	IP CODE.	ELEVATION		moor.	
WITH AN "X" IN SECTION BOX:	th of groundwate			ft.		ELLIAMON	r. ft.		ft.
	LL'S STATIC W					IRFACE MEA	SURED ON mo.	/day/yr: 5/	/12/04
NW		mp test data				ft. after		rs of pumping @	
	Est. Yield:	gpm	Well wa	ater was		ft. after	hou	rs of pumping @	gpm
- ,	ore Hole Diamete		in	to 4	18 ft.	and	in.	to	ft.
	LL WATER TO E Domestic 3	BE USED AS . Feedlot		ater eupply	C7 Lawn a	nd garden o	9. Dewater	ı ıı.ıy	njection well
		. Industrial					مونت 10. Monitor		(Specify below)
	as a chemical/bacte				YEŞ	NO		, what mo/day/y	
	mitted				Was V	Vater Well Dis	sinfected?	(YES)	NO
TYPE OF CASING USED: 1. Steel 3. RPM (SR	5. Wrough	t Iron	7. Fiberglass	9. O	ther (Specify	below) C	ASING JOINTS:		Threaded
2. PVC 4. ABS	6. Asbesto	s-Cement	8. Concrete	tile SD	R-26			Welded	Clamped
	in. to	20 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height above land surface:	10 in.,		Weight:		bs. / ft.	Wall	I thickness or gau		32
TYPE OF SCREEN OR PERFORATION	•				50.710.	****	Tanoniooo o. got		
1. Steel 3. Stainless Steel	5. Fiberglass		7. PVC	9. A	\BS	11.	Other (specify)		
2. Brass 4. Galvanized	6. Concrete	Tile	8. RMP (SR)	10. A	Asbestos-Cen	nent 12.	None used (oper	n hole)	
SCREEN OR PERFORATION OPENING	S ARE:								
1. Continuous slot 3. Mill slo	ot 5.	Gauzed wra	apped	7. To	rch cut	9. D	rilled holes	11. None	(open hole)
2. Louvered shutter 4. Key pu	nched 6.	Wire wrapp	ed	8. Sa	w cut	10. C	ther (specify)		
SCREEN - PERFORATION INTERVAL	From	20	ft. to	40	ft.,	From	ft.	to	ft.
	From	1	ft. to)	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	20 1	ft. t	o 48	ft.,	From	ft.	to	ft.
	From	f	ft. t	0	ft.,	From	ft.	to	ft.
GROUT MATERIALS: 1. Neat c	ement	2. Ceme	ent Grout	;	3. Bentonite		Other ben	tonite hole	plug
	ft. to	20 ft	., From	ft.	to	ft.,	From	ft.	to ft.
What is the nearest source of possible cor	-	7. Pit privy		10. Livestoo	k pens	13. Inse	cticide storage	15. Oil we	II/Gas well
1. Septic tank 4. Lateral		3. Sewage la	agoon	11. Fuel sto	rage		ndon water wel	16. Other	(specify below)
2. Sewer lines 5. Cess Po	-	. Feed yard	_	12. Fertilize	_	IT. ADG	naon water wen		Apparent
3. Watertight sewer line 6. Seepag Direction from well?	le bir		•	12.7 01111120		How	many feet?		
	ITHOLOGI	C LOG		From	То		LITHOL	OGIC LOG	
0 3 sandy soil									
3 10 clay								***************************************	
10 18 medium sand 18 40 coarse sand				+					
40 48 medium coars	e sand								
				<u> </u>					
				+					
	-			1					
									
				_					

Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 5/12/2004 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 5/14/2004

under the business name of $\ \ Harp\ Well\ \&\ Pump\ Service\ Inc.$

by (signature)

Jodd S. Harp