			WATER V	VELL RE	CORD I	orm WV	VC-5 · F	(SA 82a-121	12		
III	ON OF WATE	R WELL:	FRACTION	NIEE		I	TION NUMBE		NUMBER	RANGE N	
Sedg			NE 1/4	·	1/4 NW	1/4	30	т 2	6 S	R 11	E E/W
Distance and direction from nearest town or city street address of well if located within city? 45th N. and Meridian, 1/4 E. on South side Wichita, Kansas											
- 1			<u>. on South s</u> HITA, CIT			icnita, Ka	ansas				
	ER WELL (ADDRESS		I. Main	OF					Board of Agric	culture, Division of \	Water Resource
KK#,51.			ita, Kansas			7	IP CODE:		Application Num	ber: 2004	40103
2				DI ETED MI	11. 4	8 ft.	IF CODE:	ELEVATION:	Application No.11	Dei.	
	E WELL'S LO	CTION BOX:	EPTH OF COM					ELEVATION:			
l. —	N		th of groundwat			ft			ft.		ft.
	^	WE	LL'S STATIC W		_		W LAND S	URFACE MEASL		-,,	2/04
	-NW	NE		ump test data				ft. after		of pumping @	gpn
₩ W		E Bo	Est. Yield:	gpm er 12		ater was	ء 10	ft. after		of pumping @	gpm
₹ "┌	1		re Hole Diamet	-	in. e.	to 4	10 T	t. and	in.	to	ft.
	- sw ·		_	BE USED AS B. Feedlot		ater supply	7. Lawn	and garden only	> Dewaterin		ction well pecify below
	'	2.	Irrigation	Industrial	6. Oil field v				10. Monitorin		pechy below
' '-	S		as a chemical/bac	eriological sam			YES	NO		hat mo/day/yr	was sample
<u> </u>		sub	mitted				Was	Water Well Disinf	fected?	YES	NO
<u> </u>		ING USED:	5. Wrougi	nt Iron	7. Fiberglass	9. 0	ther (Specif	y below) CAS	ING JOINTS: 🤇	Glued	Threaded
	I. Steel	3. RPM (SR))		•	SD.	R-26			Welded	Clamped
_	2. PVC	> 4. ABS		os-Cement	8. Concrete	tile 55	10 20				
Blank cas	sing diamete	er 8 i	n. to	20 ft.,	Dia.	in.	to	ft.,	Dia. ii	n. to	ft.
Casing h	eight above	land surface:	10 in.,		Weight:	5.52	bs. / ft.	Wall th	ickness or gaug	e No332	
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1. Stee	el 3	. Stainless Steel	Fiberglas	s C	7. PVC	9. A	BS	11. Ot	her (specify)		
2. Bras	ss 4	. Galvanized	Concrete	Tile	8. RMP (SR)	10. A	Asbestos-Ce	ment 12. No	ne used (open h	nole)	
SCREEN	OR PERFO	RATION OPENING	S ARE:								
1. Conti	nuous slot	3. Mill slo	t 5	Gauzed wra	apped	7. To	rch cut	9. Drill	ed holes	11. None (open hole)
2. Louve	ered shutte	r 4. Key pu	nched 6	Wire wrapp	ed	(8. Sa	w cut	10. Othe	er (specify)		
CODEEN	DEDEGDA					40			(0,000,000,000,000,000,000,000,000,000,		
SCREEN -	- PERFORA	TION INTERVAL	From		ft. to		ft.,	From	ft.	to	ft.
			From		ft. to)	ft.,	From	ft.	to	ft.
G	RAVEL PA	CK INTERVALS:	From	20	ft. t	• 48	ft.,	From	ft.	to	ft.
			From	1	ft. to	0	ft.,	From	ft.	to	ft.
6 GRO	JT MATERI	ALS: 1. Neat c	ement	2. Ceme	ent Grout		3. Bentonite	9	Other bento	nite hole pl	ug
Grout	Intervals:	From 0	ft. to		t., From	ft.	to	ft.,	From	ft. to	−g ft.
What is the	e nearest so	urce of possible cor	ntamination:	7. 54							
1. Septic tank 4. Lateral lines 7. Pit privy						10. Livestoc	k pens	13. I nsect i	13. Insecticide storage 15. Oil well/Gas well		
2. Sewer liftes 5. Cess Pool 14. Addition water well									pecify below)		
3. Water	rtight sewe	r line 6. Seepag	e pit	9. Feed yard	l	12. Fertilize	r storage			None Ap	parent
	from well?				15.00			How ma	ny feet?		
From	То	L	<u>ITHOLOG</u>	C LOG		From	То		LITHOLO	GIC LOG	
0	3	sandy soil					<u> </u>				
3	10	clay				 	<u> </u>				
10	18	medium sand				 					
18 40	40 48	coarse sand	o cond			1					
-40	40	medium coars	e sand								
							 				
							1				
_1"						<u> </u>	<u> </u>	<u> </u>			
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and											
was completed on (mo/day/year) 5/12/2004 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 5/14/2004											
under the business name of Harp Well & Pump Service Inc. by (signature) $ \int_{0}^{\infty} d$											