			WATER V				m WV	VC-5 K	(SA 82a-12	212		
111	N OF WATE	R WELL:			NW 5V			TION NUMBE		IIP NUMBER		NUMBER
Sedgy			84 1/	•	1/4	1 5 1	/4	13 22	<u> </u>	26 s	R 1	E E/W
	shadow		r city street address of v	vell if located w ity, Kans	•							
	ER WELL C		OHLKEN, Roy		as							
	ADDRESS		922 Shadow La							Board of Agri	culture, Division of	Water Resource
			ark City, Kans				ZI	IP CODE:		Application Num	nber:	
	E WELL'S LC		4 DEPTH OF COM	IPLETED W	'ELL:	50	ft.		ELEVATION:			
WITH A	N "X" IN SEC N	CTION BOX:	Depth of groundwa				ft.			ft.		ft.
	T		WELL'S STATIC V			F	T. BELO	W LAND S	URFACE MEAS	SURED ON mo/o	fay/yr: 6/2	4/04
	-NW	- NE		ump test da		water			ft. after		of pumping @	gpm
1 1			Est. Yield:	gpm	Wel	l water	was		ft. after	hours	of pumping @	gpm
w M		E	Bore Hole Diamet	ter 12	in.		to 5	50 fi	. and	in.	to	ft.
- -	-sw		WELL WATER TO			4	-		and garden on	9. Dewateri		ection well
111	SW	SE 		3. Feedlot					and garden on	ישנו 10. Monitorir		Specify below
			Irrigation Was a chemical/bac	 Industrial teriological sar 				YES	nditioning		what mo/day/yr	was sample
			submitted	ichological cal	mpie submittet	a to Bopt	arancik:		Water Well Disi	nfected?	YES	NO
5 TYF	PE OF CAS	ING USED:	5. Wroug	bt Iron	7. Fibergi	200	9. O	ther (Specif	y below) CA	SING JOINTS: (Glued	Threaded
Γ_{-}	. Steel	3. RPM	I (SR)		_		SDI	R-26	,		Welded	Clamped
	2. PVC	> 4. ABS	,	tos-Cement	8. Concre	ete tile	D.D.	10 20				
Blank cas	ing diamete	er 5	in. to	22 ft.,	, Dia.		in.	to	ft.,	Dia.	in. to	ft.
ı •	•	land surface:	12 in.,		Weight:	2.	35 II	bs. / ft.	Wall	thickness or gaug	ge No214	4
1			TION MATERIAL:		7.00				44.6	NII ((F.)		
1. Stee		. Stainless Ste	- 0	-	7. PVC) 	9. A			Other (specify)		
2. Bras	ss 4	. Galvanized	6. Concrete	: Tile	8. RMP (S	R)	10. A	sbestos-Ce	ment 12. N	lone used (open	hole)	
ì		RATION OPE										
1. Conti	nuous slot	3. Mi	ill slot 5	. Gauzed wi	rapped		7. To	rch cut	9. Dr i	illed holes	11. None (open hole)
2. Louve	ered shutte	r 4. Ke	ey punched 6	. Wire wrap	ped		(8. Sa	w cut	10. Ot	her (specify)		
SCREEN -	PERFORA	TION INTERV	'AL From	22	ft.	to	50	ft.,	From	ft.	to	ft.
ł			From		ft.	to		ft.,	From	ft.	to	ft.
G	RAVEL PAG	CK INTERVAL	S: From	22	ft.	to	50	ft.,	From	ft.	to	ft.
İ			From		ft.	to		ft.,	From	ft.	to	ft.
6 GROU	JT MATERI	ALS: 4 N		2.0							onite hole p	
띧	Intervals:	From	leat cement 2 ft. to		nent Grout ft., Fro	m		3. Bentonite			ft. to	U
1			le contamination:	, 11	11., 170		ft.	to	ft.,	From	π. ι	π.
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Ga												
2. Sewe	r lines	5. Ce	ess Pool	8. Sewage	lagoon	11.	Fuel sto	rage	14. Aban	don water well	16. Other (s	pecify below)
3. Water	tight sewe		epage pit	9. Feed yar	ď	12.	Fertilize	r storage				
	from well?	Southea							How n	nany feet? 75		
From	То		LITHOLOG	IC LOG			<u>From</u>	То		LITHOLO	GIC LOG	
0	10	topsoil						1				
18	18 28	clay fine sand	· w u			_						·· · · · · · · · · · · · · · · · · · ·
28		shale						<u> </u>				
								1				
								-				
									ļ			
<u> </u>	Ì	<u> </u>							<u> </u>			
7 Cont	tractor's or L	andowner's Co	ertification: This wate	er well was 1	. constru	cted	2. re	constructe	d or 3.	plugged	under my jurisdio	ction and
was cor	mpleted on	(mo/day/year)	6/24/200	4	and this rec	ord is t	rue to the	e best of my	knowledge and	l belief.		
Kansas	Water Well	Contractor's L	icense No.	236	This water	er well r	ecord wa	as complete	d on (mo/day/ye	ear) 6/28	/2004	
										,		
under the business name of Harp Well & Pump Service Inc. by (signature)												