	WATER WELL RECO	RD Forr	m WW	C-5 K	SA 82a-121	2		
1 LOCATION OF WATER WELL:	FRACTION		- 1	ON NUMBER	1		RANGE N	
Sedgwick	NE 1/4 NW 1/4		4	30	T 26	S	R 1E	E/W
Distance and direction from nearest town or city street address of well if located within city?  45th North and 1/4 mile East of Meridian on South side  Wichita, Kansas								
	CHITA, CITY OF	siuc			vv icilita, ixa	11343		
	N. Main					Board of Agric	culture, Division of W	Vater Resource
CITY, STATE: Wic	hita, Kansas		ZIP	CODE:		Application Num	nber: 2004	0103
	DEPTH OF COMPLETED WELL:	47	ft.		ELEVATION:			
WITH AN "X" IN SECTION BOX:	epth of groundwater Encountered:		ft.			ft.		ft.
	ELL'S STATIC WATER LEVEL	10 FT.	. BELOV	V LAND SU	RFACE MEASU	RED ON mo/d	lay/yr: 6/9/	/04
NWNE	Pump test data:	Well water w	vas		ft. after	hours	of pumping @	gpm
W W E E	Est. Yield: gpm	Well water w	vas		ft. after	hours	of pumping @	gpm
		in.	to 47	7 ft.	and	in.	to	ft.
1 1 and 1 de 1 1	ELL WATER TO BE USED AS:  1. Domestic 3. Feedlot 5.	Public water s	supply	7 Lawna	nd garden only	9. Dewaterii		ction well
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below)  2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well								
S Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample								
	ubmitted			Was W	ater Well Disinfe	ected?	YES N	NO
TYPE OF CASING USED:	5. Wrought Iron 7.	Fiberglass	9. Oth	er (Specify	below) CASI	NG JOINTS: 🕻	Glued	Threaded
1. Steel 3. RPM (SR)  2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile SDR-26  Welded Clamped								
Blank casing diameter 8	in. to <b>20 ft.,</b>	Dia.	in.	to	ft., [	Dia. j	in. to	ft.
	10			_	·			и,
The state of the s								
TYPE OF SCREEN OR PERFORATION MATERIAL:  1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)								
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)								
SCREEN OR PERFORATION OPENIN	GS ARE:							
1. Continuous slot 3. Mill s	lot 5. Gauzed wrappe	ed	7. Toro	ch cut	9. Drille	d holes	11. None ( c	pen hole)
2. Louvered shutter 4. Key p	ounched 6. Wire wrapped	(	8. Saw	cut	10. Othe	r (specify)		
SCREEN - PERFORATION INTERVAL	•••	<b>to</b>	37					
SCREEN - FERFORATION INTERVAL		to	31	ft.,	From	ft.	to .	ft.
GRAVEL PACK INTERVALS:	20	to to	47	ft.,	From	ft.	to	ft.
GRAVEL FACK INTERVALS.	110		47	ft.,	From -	ft.	to	ft.
- L opour waterway	From ft.	to		ft.,	From	ft.	to	ft.
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug  Grout Intervals: From 0 ft. to 20 ft. From ft to ft								
Grout Intervals: From <b>U</b> What is the nearest source of possible company to the source of possible company		From	ft.	to	ft.,	From	ft. to	ft.
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage					15. Oil well/G			
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify bel								
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None Apparent						parent		
Direction from well?				····	How ma	*		· · · · · · · · · · · · · · · · · · ·
From To	LITHOLOGIC LOG	F	rom	То		LITHOLO	GIC LOG	
0 4 topsoil 4 10 sandy clay								<del></del>
10 46 sand								
46 47 clay								
	gues seu							
7 Contracted and and an and a contracted	ignation. This waster well		2		or 2	uluaged	under my jurisdict	ion and
	fication: This water well was 1.Co			onstructed			under my juńsdict	ion and
7 Contractor's or Landowner's Certif was completed on (mo/day/year)	6/9/2004 and	this record is tru	ue to the	best of my l	knowledge and b	elief.		ion and
	6/9/2004 and	this record is tru	ue to the	best of my l		elief.	under my jurisdict	ion and