			WATER	R WELL R	ECORD F	Form WW	NC-5 k	(SA 82a-1	212			
1 LOCATIO	ON OF WATE	R WELL:	FRACTION	SW NE			TION NUMBE		HIP NUMBER	RANGE I	NUMBER	
Sedgwick 892 1/4 892 1/4 893							11	Т	<b>26</b> S	R 1		
Distance and	d direction fro	m nearest town or	city street address	of well if located	within city?			<u>'</u>			****	
	Sioux Cir			chi, Kansa	as							
	ER WELL		PENCER, Br						Board of Ad	riculture, Division of	Water Resource	
RR#,ST.	. ADDRESS		.1 Sioux Circ echi, Kansas	ele		-			_			
2				OMBI ETED V	VELL: 5		IP CODE:	ELEVATION	Application Nu	mber:		
	'E WELL'S L( AN "X" IN SE(	CTION BOX:	4 DEPTH OF C					ELEVATION				
,	N T		Depth of ground			ft			ft.		ft.	
							OW LAND S		SURED ON mo		0/04	
	1 112				ter was ter was		ft. after ft. after		s of pumping @ rs of pumping @	gpm gpm		
Wile w	- 1	E	Bore Hole Diar	٠. ء		to 5	55 ft		in.	to	ft.	
-		1	WELL WATER		AS:				9 Dewater	44 9-1	ection well	
1, 1	1. Domestic 3. Feedlot 5. Public water supply 1. Lawn and garden only 12. Other (Specific										specify below	
$  \cdot  $		X	2. Irrigation		al 6. Oil field w		•	nditioning	10. Monitor	ing well what mo/day/yr	was sample	
	s		Was a chemical/i submitted	bacteriological sa	ample submitted to I	Department?	YES Was \	NO Nater Well Dis		YES	NO NO	
5 TY	PE OF CAS	SING USED:				0.0			ASING JOINTS:	Glued	Threaded	
	1. Steel	3. RPM	(SR) 5. Wro	ught Iron	7. Fiberglass		ther (Specify	y below) C	ASING JOINTS:	Welded	Clamped	
	2. PVC	<b>4</b> . ABS	6. Asb	estos-Cement	<ol><li>Concrete t</li></ol>	ile SD	R-26			***************************************	Glampod	
Blank cas	sing diamete	er <b>5</b>	in. to	30 ft	., Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing h	eight above	land surface:	12 ir	1.,	Weight:	2.35	bs. / ft.	Wall	thickness or gau	ige No214	1	
TYPE OF SCREEN OR PERFORATION MATERIAL:												
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)												
2. Bras	ss 4	I. Galvanized	6. Concr	ete Tile	8. RMP (SR)	10. A	sbestos-Ce	ment 12.	None used (oper	hole)		
SCREEN	OR PERFO	RATION OPEN	IINGS ARE:									
1. Conti	nuous slot	3. <b>Mi</b> l	i slot	5. Gauzed w	rapped	7. <b>To</b>	rch cut	9. <b>D</b>	rilled holes	11. None (	open hole)	
2. Louve	ered shutte	er 4. Ke	y punched	6. Wire wrap	pped	8. Sa	w cut	10. O	ther (specify)			
SCREEN - PERFORATION INTERVAL From 30 ft. t						55	ft.,	From	ft.	to	ft.	
			From		ft. to		ft.,	From	ft.	to	ft.	
G	RAVEL PA	CK INTERVALS	S: From	24	ft. to	55	ft.,	From	ft.	to	ft.	
			From		ft. to	)	ft.,	From	ft,	to	ft.	
6 GROU	JT MATER	ALS: 1 No	at coment	2 Con	mant Crowt		3. Bentonite			tonite hole pl		
<u> </u>	O . Neat cement 2. Cement Grout								From	ft. to	ug "	
What is the nearest source of possible contamination:										Ι.		
1. Septic tank 4. Lateral lines 7. Pit privy 1						0. Livestock pens		13. Insecticide storage			15. Oil well/Gas well	
2. Sewe	r lines	5. <b>Ces</b>	s Pool	8. Sewage	lagoon	11. Fuel sto	rage	14. <b>Aba</b> i	ndon water well	16. Other (s	pecify below)	
	rtight sewe		page pit	9. Feed ya	rd 1	2. Fertilize	r storage					
Direction from well?   West						T =	T +	How	many feet? 40	2010100		
From	<u>To</u>	topsoil	LITHOLO	GIC LOG		From	То		LITHOLO	OGIC LOG	-	
4	25	clay				<del> </del>						
25	35	sand										
35	55	shale										
						-						
						<del>                                     </del>						
	<u> </u>											
<u> </u>												
	<b></b>											
7 Conf	tractoric or i	andownoda Ca	rtification: This ::	rater well was	1 Construct	<u> </u>	constructor	or 3.	plugged	under my jurisdic	tion and	
$\vdash$			rtification: This w 6/10/20							and or my junious	o., and	
was cor	inhiered ou	(mo/day/year)	0/10/20	126	and this record		•	knowledge an		1/2004		

under the business name of Harp Well & Pump Service Inc.

by (signature)

Jodd S. Harp