43	5 73	26 WA	ATER WELL RE	CORD	Form WW0	C-5 KS	A 82a-121	2 ID N	o. <u>PZ-1</u>					
1 LOCAT	ION OF WA	ATER WELL:	Fraction				Section Nu			ship Nu	mber	Rang	e Numbe	
County:	Sedgwick		SE 1/	^{/4} NW	1/4 N	IE 1/4	31		Т	26	s	R	1 (<u>E)</u> w
Distance a	and direction	n from nearest t	town or city stree	et addres	s of well if loo	cated within	n city?							
		35th and Litchfie												
2 WATER	R WELL OW	VNER: City of Wi	ichita											
RR#, St. A	Address, Bo	× # :455 N. Ma	ain							-		ivision of \	Water Re	sources
	, ZIP Code				ETED MELL		4. 1			cation Nu				
AN "X"	IN SECTIO	N BOX:	4 DEPTH OF	COMPLI	ETED WELL	36	IT. I	LEVAI	ION: Unk	nown				
- · · · ·	N		Depth(s) Grou	unawater IC WATER	Encountered	(1) (17 ft	helow land	II. Z	measured	l on mo/d	lav/vr 10.	6-04		
		x l	Pu	mn test d	data: Well wa	ter was	not checked	d ft aft	er	i on mora	hours n	umpina		anm
-	-NW	NE	Est. Yield un											
		1	Bore Hole Diar	meter	6 in.	to	40	ft., ar	nd		i	in. to		ft.
₩ W —	1	E	WELL WATER			Public wa			Air cond			Injection		
	i	i	1 Domestic	3 Fe	eedlot 6	Oil field w	ater supply	9	Dewater	ing	12	2 Other (s	pecify belo	ow)
-	- SW	SE	2 Irrigation	4 In	dustrial 7	Domestic	(lawn & gard	en) 10) Monitorii	ng well		Piezom	eter Wei	I
♥	i	i	Was a chemical								If ves. mo	o/dav/vrs	sample v	vas sub-
	S		mitted		- g a									
5 TYPE C	OF BLANK	CASING USED:		5 Wrou	ght iron	8 Cor	ncrete tile		CAS	NG JOIN	ITS: Glue	d 🗸 C	Clamped	
1 Steel		3 RMP (SR)		6 Asbes	stos-Cement	9 Oth	er (specify b	elow)			Welde	ed		
2 PVC		4 ABS		7 Fiber								ded		
Blank cas	sing diamete	∍r 2	in. to	14	ft., Dia		in. to		ft.,	Dia		in. to		ft
Casing h	eight above	land surface	in. to 24	in., weigl	ht	.44		lbs./ft	. Wall thic	kness or	gauge No)	.091	
			TION MATERIA	AL:		(7) PV				10 Asbes	stos-cemen	t		
1 Stee	1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)													
2 Bras		4 Galvanize		6 Con	crete tile	9 AB	S		8 Saw o		used (open	•		
	SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped										11	None (oper	hole)	
	ntinuous slot	_	Mill slot		6 Wire wrap				9 Drilled					ft.
1	uvered shutter		Key punched From	1.4	7 Torch cut ft. to		ft	, From						
501	KEEN-FERFOR	RATED INTERVALS:	From	14	ft to		ft	Erom					~	
	GRAVEL	PACK INTERVAL		12		40	ft.	, From			ft. to)		ft.
			From		ft. to		ft.	, From			ft. to)		ft.
6 GRO	UT MATER	RIAL: 1 Neat	cement 2 Cer					4 0	ther Ber	ntonite Hol	eplua			
1														
	tervals: Fro		ft. to ble contamination		ft., From					rom		andoned wa		ft.
1	tic tank		Lateral lines		7 Dit priva		10 Lives							
1												ner (specify		
	er lines ertight sewer		Cess pool Seepage pit		8 Sewage 9 Feedyard	-	12 Fertili 13 Insec		-		None kr		Delow)	
		111103	Occpage pit		o recayare	•		v many	•					
	from well?	1				5001		v many		51116	OING IN	TEDVALO		
FROM	ТО	+	LITHOLOGIC L	.OG		FROM	и то			PLUG	- GING IN	TERVALS		
0 4	34	Topsoil Sand are	aval madium to	fino				-						
34	35	Shale, weath	evel, medium to f	iiie			-	-						
35	40	Shale, blackis					_	+						
33	70	Ollaie, blackie	sir blue, riard				1							
	<u> </u>	 												
										RE	CEI	/FD		
										00	I 1 1	2004		
										BURE	AU OF	WATER	ξ	
		<u></u>									-			
7 CONTRA	ACTOR'S OR	LANDOWNER'S	CERTIFICATION:	This wate	r well was (1)	constructed), (2) re	construct	ed , or	(3) plugge	d und	đer my juriso	diction and	was
1	on (mo/day			10-6-04			and this				of my kno	wledge ar	nd belief.	Kansas
		r's License No	185		This Water V	Well Record	d was comp			/yr)	2	10-7-04	111	
			Vell & Equipmen						gnature)	(60	uno	4-6	Var.	
INSTRUCT Environme	TIONS: Use type int, Bureau of Wa	writer or ball point per ater, Topeka, Kansas (n. <u>PLEASE PRESS FII</u> 66620-0001. Telephone	<u>RMLY</u> and <u>P1</u> e 785-296-55	<u>RINT</u> clearly. Pleas 24. Send one to W	se fill in blanks, /ATER WELL O	underline or cir WNER and reta	cle the corr in one for y	rect answers. our records.	Send top the Fee of \$5.00	ree copies to for each <u>cons</u>	Kansas Depar <u>structed</u> well.	tment of He	aith and