WATER WELL RECORD Form WWC-5 KSA 82a-1212							
111	N OF WATE			TION NUMBER	1	RANGE NUMBER	
Sedg		E1/2 1/4 SE 1/4 SI	E 1/4	17	T 26 S	R 1E E/W	
Distance and direction from nearest town or city street address of well if located within city?							
From Intersection of 53rd N. and Broadway-660' West and 1320' North Park City, Kansas							
	ER WELL C	· ·			Board of	Agriculture, Division of Water Resource	
RR#,S1.	ADDRESS		-	IP CODE: 6		20050108	
			40	P CODE: 0		Number: 20030100	
UCAT WITH A	'E WELL'S LO AN "X" IN SEC	TION BOX:			ELEVATION:	_	
_ ا	N	Depth of groundwater Encountered:	ft		ft.	ft.	
		WELL'S STATIC WATER LEVEL 12		)W LAND SU	JRFACE MEASURED ON 1		
	-MM	1,50	water was			ours of pumping @ gpm	
w W		Est. Yield: gpm Well Bore Hole Diameter 12 in.	water was	<b>40</b> ft.		ours of pumping @ gpm	
<del>-</del> " -		WELL WATER TO BE USED AS:	10 -	10.		At laterthe all	
	-sw		water supply	7. Lawn a	and garden only 9. Dewa	12. Other (Specify below)	
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well							
Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample							
<u> </u>		submitted		Was V	Vater Well Disinfected?	YES NO	
5 TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Threaded							
1. Steel 3. RPM (SR) Welded Clamped							
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile 8. Blank casing diameter 8 in. to 20 ft., Dia. in. to ft.							
10							
TYPE OF SCREEN OR PERFORATION MATERIAL:  1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)							
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)							
		,	,			•	
	inuous slot	RATION OPENINGS ARE:  3. Mill slot  5. Gauzed wrapped	. 7 To	orch cut	9. Drilled holes	11. None ( open hole)	
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)							
SCREEN -	- PERFORA	TION INTERVAL From 20 ft.	to 40	ft.,	From ft.	to ft.	
1		From ft.	to	ft.,	From ft.	to ft.	
G	RAVEL PA	CK INTERVALS: From 20 ft.	to <b>40</b>	ft.,	From ft.	to ft.	
		From ft.	to	ft.,	From ft.	to ft.	
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug							
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1. Septic tank 4. Lateral lines						46 Other (enecify below)	
2. Sewe	2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below						
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage							
	from well?				How many feet?		
From	То	LITHOLOGIC LOG	From	To	LITHO	LOGIC LOG	
0	10	clay		<del>                                     </del>			
10 20	33	medium sand medium coarse sand		1			
33	35	clav					
35	40	fine sand					
				1			
				<del>                                     </del>			
				<del> </del>			
				<del>  </del>			
		***************************************					
	L						
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and							
was completed on (mo/day/year) 5/19/2005 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 5/20/2005							
under the business name of Harp Well & Pump Service Inc. by (signature)  Jodd S. Jarp							