	WATER WELL RE	ECORD F	orm WW	/C-5 K	SA 82a-121	2			
1 LOCATION OF WATER WELL:	FRACTION		SECT	ION NUMBER	TOWNSHIP	NUMBER	RANGE NUI	JBER	
☐ Sedgwick	E1/2 1/4 SE	1/4 SE	1/4	17	T 26	S	R 1E	E/W	
Distance and direction from nearest town or cit	ty street address of well if located w	vithin city?							
From Intersection of 53rd N. and Broadway-660' West and 1320' North Park City, Kansas									
2 WATER WELL OWNER: PAI	RK CITY, CITY OF								
	0 N. Hydraulic					Board of Agric	culture, Division of Wa		
CITY, STATE: Par	k City, Kansas		ZII	P CODE: 6	7219	Application Num	ber: 20050	108	
3 LOCATE WELL'S LOCATION 4	DEPTH OF COMPLETED W	/ELL: 40			ELEVATION:				
WITH AN "X" IN SECTION BOX:	⊒ epth of groundwater Encounte	ared:	ft.			ft.		ft.	
	VELL'S STATIC WATER LEVI			MALL AND CL	IDEACE MEASU		av/vr: 5/19/		
				W LAND SU	IRFACE MEASU		, ,		
NWNE	Pump test da				ft. after		of pumping @	gpm	
W E	Est. Yield: gpm Bore Hole Diameter 12	Well wate		0	ft. after		of pumping @	gpm	
			to 4	0 ft.	and	in.	to	ft.	
1 1 1 1 1 1	VELL WATER TO BE USED A 1. Domestic 3. Feedlot		or eunnh	7 Lawn a	nd garden only	9 Dewaterir	-		
	12. Other (Specify below)								
If yes, what mo/day/yr, was sample									
1	submitted	inpie addinitied to D	срагинсти:		Vater Well Disinf		YES N		
5 TYPE OF CASING USED:			9.01	her (Specify	halow) CAS	ING JOINTS: C	Glued	Threaded	
1. Steel 3. RPM (S	SR) 5. Wrought Iron	7. Fiberglass			below) CAO	110 0011110.		Clamped	
2. PVC 4. ABS	Asbestos-Cement	8. Concrete tile	e SDF	R-26			770,000	Ciampou	
Blank casing diameter 8	in. to 20 ft.	. Dia.	in.	to	ft., i	Dia. i	n. to	ft.	
Casing height above land surface:	18 in.,	Maiaht:	5.52 lb	os. / ft.	Mall thi	akaasa ar aawa	n No. 222		
	,	Weight:	J.J2 10	JS. / IL.	wairtii	ckness or gaug	e No332		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)									
SCREEN OR PERFORATION OPENIN							44.44		
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)									
2. Louvered shutter 4. Key	punched 6. Wire wrap	ped	(8. Sa	w cut	10. Othe	r (specify)			
SCREEN - PERFORATION INTERVAL	From 20	ft. to	40	ft.,	From	ft.	to	ft.	
OCKEEN TEXT OF WHOM INVEKTORE	From	ft. to	••	ft.,	From				
05.0/5/ 04.0// 0/550/ 04.0	20		40			ft.	to .	ft.	
GRAVEL PACK INTERVALS:	From 20		40	ft.,	From	ft.	to	ft.	
	From	ft. to		ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug							g		
Grout intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to						ft.			
What is the nearest source of possible of	contamination:	. 10	Livestoc	L nane	42 (15 Oil	a wall	
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well									
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)									
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage									
Direction from well?					How ma	ny feet?			
From To	LITHOLOGIC LOG		From	То		LITHOLO	GIC LOG		
0 10 clay									
10 20 medium san	<u>d</u>								
20 33 medium coa	rse sand								
33 35 clay				\vdash					
35 40 fine sand									
						-			
						10			
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and									
F 110 1000 F									
Kansas Water Well Contractor's Lice	ense No. 236	This water we	Il record wa	s completed	on (mo/day/yea	5/20/	/2005		
under the business name of Harp Well & Pump Service Inc. by (signature)									