1 LOCATION OF WATER WELL:	Fraction	77000	Section Nu	mber Township No		er
County: Sedgwick	NW %	NW % NW	1/4 21	т 26	s R 1	(E)W
Distance and direction from nearest town	or city street addr	ess of well if located wit	hin city?			
Wally's Auto, 5360 N. Broadway, 2 WATER WELL OWNER: Rosean	n Harneter		***************************************			
RR#, St. Address, Box # : 5650 N.	n narpster					
					culture, Division of Water Reso	ources
City, State, ZIP Code : Wichita,	, <u>n</u> 8		· · · · · · · · · · · · · · · · · · ·	Application No	ımber:	
3 AN "X" IN SECTION BOX:	DEPTH OF CC	MPLETED WELL	26.5 ft.	ELEVATION:	1331.05	. 1
N C	Depth(s) Groundw	ater Encountered 1		ft. 2	ft. 3	ft. Ç
1 X 7 7 7 1	WELL'S STATIC V	VATER LEVEL	ft. below	land surface measured	on mo/day/yr	t. Q
					hours pumping	gpm C
I I I					hours pumping	
₹ W E E	Rore Hole Diametr	er 4.25 in. to	26.5	f and	in to	
- V	WELL WATER TO	BE USED AS: 5 Put	lic water supply	8 Air conditio	in. to ning 11 Injection well 12 Other (Specify be	" 🗲
swse	1 Domestic	3 Feed lot 6 Oil	field water supply	9 Dewatering	12 Other (Specify be	elow)
					well Air Sparie	
▼					If yes, mo/day/yr sample	
	submitted			Water Well Disinfecte	ed? Yes No	
5 TYPE OF BLANK CASING USED:		5 Wrought Iron	8 Concrete tile	CASING JOI	NTS: Glued Clamped	
_1_Steel 3 RMP (SI	R)	6 Asbestos-Cement	9 Other (specif	y below)	Welded	
2 PVC 4 ABS		7 Fiberglass			Threaded X	
Blank casing diameter 2	in. to 24	ft., Dia	In. to	ft., Dia	in. to	ft.
Casing height above land surface	O tr	., weight	/16 II	bs./ft. Wall thickness or	gauge No154	
TYPE OF SCREEN OR PERFORATION	MATERIAL:	- ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7 PVC	10 Asbe	estos-cement	
1 Steel 3 Stainles	s steel	5 Fiberglass	8 RMP((SR) 11 Othe	er (specify)	
2 PVC 4 ABS Blank casing diameter 2 Casing height above land surface TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainles 2 Brass 4 Galvania SCREEN OR PERFORATION OPENING	zed steel	6 Concrete tile	9 ABS	12 Non	e used (open hole)	
OSTALLING TO CONTROL OF LIMITO	O ARE.	J Gauzec	Wiapped	_ O Saw Cut	ii iione (openin	ole)
	fill slot (ey punched	6 Wire wr 7 Torch o		9 Drilled holes		
SCREEN-PERFORATED INTERVALS:				& From	ify)ft. to	
CONCERN EN ORNIED INTERVALS.	From	7.U		. IL FIOR		11.
GRAVEL BACK INTERVALS.	F10111		26 E	. II. FIQIII	ft. to	^{π.} ∤ス
GRAVEL PACK INTERVALS:	From4	π. το	20.5	.π. From	π. το	
6 GROUT MATERIAL: 1 Neat ce		ft. to			ft. to	ft.
					ft. to	
Grout Intervals From 2 ft. What is the nearest source of possible co	otomination:	π. From10		Livestock pens	14 Abandoned water well	
		7 Pit privy		Fuel storage	15 Oil well/ Gas well	'
· · · · · · · · · · · · · · · · · · ·		8 Sewage la		Fertilizer storage		
i -	6 Seepage pit	9 Feedyard		Insecticide storage	Contaminated s	ite
Direction from well?	o ccopage pix	5 Tobayara		many feet?		
FROM TO CODE	LITHOLO	GIC LOG			UGGING INTERVALS	
0 3 fill c	lay					
	sand					
14 26.5 Fine	to very fine	grained sand				
26.5 wea	thered shale)				

		+ · · · · · · · · · · · · · · · · · · ·				
7 Icontrol Control	A AFRICA					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was						
11-11-04 and this record is true to the best of my knowledge and belief. Kansas						
Water Well Contractor's License No.	•••••	554	This Water W	Vell Record was complet	ed on (mo/day/yr) 9-9=	
under the business name of	Woofte	r rump & Well in	C.	by (signature)	Jan 6 WOSU	1
under the business name of INSTRUCTIONS: Please fill in blanks Jacksch St., Ste. 420, Topeka, Kansas	66612-1367. Teler	дапа мета. Зепо плее со hone: 913-296-5545. Sei	nd one to WATER V	VELL OWNER and retain of	one for your records.	3 44