	WATER WELL RE	CORD F	orm WW	C-5 K	SA 82a-121	2`		
1 LOCATION OF WATER WELL:	FRACTION			ION NUMBER	1		RANGE NU	
Sedgwick	SW 1/4 SE	1/4 SW	1/4	33	Т 26	S	R 1E	E/W
Distance and direction from nearest town or city: 3050 N. St. Francis	Street address of well if located w	athin city?						
	PRODUCTS							
	Board of Agriculture, Division of Water Resource							
	ita, Kansas		ZIF	CODE:		Application Num	ber:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	рертн ог ошија на w	'ELL: 43	ft.		ELEVATION:			:
	oth of groundwater Encounter	ered:	ft.			ft.		ft.
. WE	ELL'S STATIC WATER LEVI	EL 15	FT. BELOV	W LAND SU	JRFACE MEASU	RED ON mo/d	ay/yr: 12/2	/05
NWNE	Pump test da				ft. after		of pumping @	gpm
₩	Est. Yield: gpm	Well wate			ft. after		of pumping @	gpm ft.
Z W	ore Hole Diameter ELL WATER	in. AS:	to	ft.	and	in.	to	tion well.
	Domestic 3. Feedlot	5. Public wat	er supply	7. Lawn a	and garden only	9. Dewaterir	12. Other (Sp	
X 2	. Irrigation 4. Industria	l 6. Oil field wa	ter supply	8. Air cor	nditioning		g well not in i	ise
· · · · · · · · · · · · · · · · · · ·	/as a chemical/bacteriological sal	mple submitted to De	epartment?	YES	NO Vater Well Disinfe	_	hat mo/day/yr w	ras sample IO
5 TYPE OF CASING USED:			0.04			NG JOINTS:	Glued	Threaded
1. Steel 3. RPM (SR	5. Wrought Iron	7. Fiberglass	9. Oti	her (Specify	(below) CASI	NG JOINTS.	Welded	Clamped
2. PVC 4. ABS	Asbestos-Cement	8. Concrete tile	Э					
Blank casing diameter 10	in. to ft.,	, Dia.	in.	to	ft., C	ia. i	n. to	ft.
Casing height asset and surface:	36 in.,	Weight: 2	8.04 lb	s. / ft.	Wall this	kness or gaug	e No250	
TYPE OF SCREEN OR PERFORATION	I MATERIAL:					N	Ι/ Δ	
1. Steel 3. Stainless Steel	5. Fiberglass	7. PVC	9. AE			er (specify)		
2. Brass 4. Galvanized	6. Concrete Tile	8. RMP (SR)	10. As	sbestos-Cer	ment 12. Nor	e used (open l	nole)	
SCREEN OR PERFORATION OPENINGS ARÉ: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)								
1. Continuous slot 3. Mili slo				ch cut		d holes		pen noie)
2. Louvered shutter 4. Key pu	unched 6. Wire wrap	ped	8. Sav	w cut	10. Othe	r (specify) N/	A	
SCREEN - PERFORATION INTERVAL	From	ft. to		ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	ft. to		ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat of	cement 2. Cem	nent Grout	3	. Bentonite	,	Other bent	onite hole plu	ıg
Grout Intervals: From		ft., From	ft.	to	ft.,	From .5	ft. to	24 ft.
What is the nearest source of possible con 1. Septic tank 4. Lateral	7 Di4	10). Livestoci	k pens	13. Insectio	ide storage	15. Oil well/G	ias well
r. Geptic tank				uel storage 14. Abandon water well 16. Other (specify below)				
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None Apparent								parent
Direction from well?					How ma	ny feet?		
From To	LITHOLOGIC LOG		From	То		LITHOLO	GIC LOG	
			00	5	cement grou			
			.5	24	bentonite ho		1	
	* *************************************		24	43	chlorinated :	sano & gra	vei	
		1						
				-				
								
,								
7 Contractor's or Landowner's Certific	cation: This water well was	1. constructed	2. rec	constructed	d or 3. F	lugged	ınder my jurisdict	ion and
was completed on (mo/day/year) 12/2/2005 and this record is true to the best of my knowledge and belief.								
Kansas Water, Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 12/5/2005								
, , , , , , , , , , , , , , , , , , , ,								
under the business name of Harp Well & Pump Service Inc. by (signature) Jo d d S. Harp								