	R WELL RECOR	RD Form WW							
Fraction	011	0114	Section Nu		wnship Num	i	•	Numb	_
	SW ½			T	26	S	R	1	⊕ ∧
or city street ad	dress of well if I	ocated within c	ity?						
	Ctoro Inc								
on's General	Store, inc			_				_	
(9250 . KS 67277					rd of Agricult		sion of wa	er Res	ources
ı, KS 67277					lication Num				
DEPTH OF C	OMPLETED W	/ELL	21 ft.	ELEVATION:					
Depth(s) Ground	water Encounte	ered 1		ft. 2		ft.	3		ft.
WELL'S STATIC	WATER LEVE	L NA	ft. below	land surface n	neasured on	mo/day/	yr		
	test data: W								
Est. Yield	gpm: W	/ell water was		ft. after		hours p	umping		gpm
Est. Yield Bore Hole Diame	eter 8	in. to	21	ft. and		in	. to		ft.
Bore Hole Diame WELL WATER T 1 Domestic	O BE USED AS	S: 5 Public w	ater supply	8 A	ir conditionin	ng 11	Injection	well	
1 Domestic	3 Feed lot	6 Oil field	water supply	9 D	ewatering	12	2 Other (S	pecify b	elow)
2 irrigation	4 Industrial	7 Lawn an	nd garden (do	omestic)	Monitoring w	rell			
Was a chemical/	bacteriological s	sample submitte							
submitted				Water Well					
	5 Wrought I	Iron 8	Concrete tile	CAS	SING JOINT				d
SR)	6 Asbestos	-Cement 9	Other (specif	y below)		Weld	ed		.
	7 Fiberglas						aded		
in. to6	ft., Dia		in. to	ft., Di	a		in. to		ft.
0	in., weight	2.071	<u></u>	bs./ft. Wall thi	ckness or ga	iuge No.		.237	
MATERIAL:			PVC		10 Asbest	os-ceme	nt		
	5 Fiberglass		8 RMP ((SR)	11 Other (specify)			
ized steel GS ARE:	6 Concrete	tile Gauzed wra	9 ABS	_	12 None t	isea (obe	n noie)		
Mill slot		Wire wrappe		_	illed holes		1 140116	(open i	.5.57
Key punched		7 Torch cut			ther (specify	')			
From	6 ft.	to	21	ft. From		ft. t	0		ft.
From	ft. 4 ft.	to	21	ft. From		ft. t	0		ft.
1 10111		to					0		ft.
		'							
From	g. out		ft. to	fl	From	, ,	ft. to		ft
From	ft. From					47 46	andoned w	-4	'`
From 2 ement 2 ft. to 6	ft. From		10	Livestock per	าร	14 AD	STROUBLE OF W	ater we	it
From		Pit privy	10	Livestock per Fuel storage	10	IT AD	well/ Gas v	ater we	ii
From ement 2 ft. to 6 ontamination:	7		11	Fuel storage	15	15 Oil	well/ Gas v	vell	

What is the nearest source of possible contamination:								10	Lives	stock pens	14	Abandoned water well	
1	Septic tank		4	Lateral lines	7	Pit privy		11	Fuel	storage	15	Oil well/ Gas well	
2	2 Sewer lines		5 Cess pool 8		8	Sewage lagoon		12	12 Fertilizer storage		16	Other (specify below)	
3 Watertight sewer lines		6	6 Seepage pit 9		Feedyard		13 Insecticide storage				·	_	
Direction	n from well?							How	many	feet?			
FROM	M TO	CODE	Ī	LITHOLOGI	C LOG		FROM	T	O	PL	UGGIN	G INTERVALS	
0	8		Silty	Clay, mediun	n Stiff								٦
8	21			i, Medium Gra		/ith							_
			Fine	gravel, loose									-
								1		`.			
		1						1					
									***************************************				-
												``	
									-				
7 CON	TRACTOR'S OR	LANDOW	NER'S	CERTIFICATION:	This water	er well was	(1) construct	ted, (2) reco	nstructed, or (3) plu	ugged u	nder my jurisdiction and was	_
	ed on (mo/day/yr)			12-7-05								vledge and belief. Kansas	

Woofter Pump & Well Inc.

INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

Grout Intervals From 0 ft. to 6 ft. From ft. to ft.

554 This Water Well Record was completed on (mo/day/yr) 12-22-05

Distance and direction from nearest town or city street address of well if located within city?

: Wichita, KS 67277

1 LOCATION OF WATER WELL:

5400 North Meridian

City, State, ZIP Code

AN "X" IN SECTION BOX:

County:

3

욢

W

1 Steel

2 Brass

1 Continuous slot

2 Louvered shutter

6 GROUT MATERIAL:

SCREEN-PERFORATED INTERVALS:

GRAVEL PACK INTERVALS:

Water Well Contractor's License No.

under the business name of

(3) PVC

Sedwick

ŃF -

SF

Casing height above land surface 0

TYPE OF SCREEN OR PERFORATION MATERIAL:

SCREEN OR PERFORATION OPENINGS ARE:

RR#, St. Address, Box # : PO Box 9250

LOCATE WELL'S LOCATON WITH

5 TYPE OF BLANK CASING USED:

2 WATER WELL OWNER: Johnson's General Store, Inc.

Ε

3 RMP (SR)

Blank casing diameter 4 in. to 6 ft., Dia

3 Stainless steel

4 Galvanized steel

1 Neat cement

3 Mill slot

4 Key punched

4 ABS

by (signature)