

| | |
|---|---|
| 1 LOCATION OF WATER WELL: Fraction <u>SW 1/4 SW 1/4 SW 1/4</u> Section Number <u>17</u> Township Number <u>T 26 S</u> Range Number <u>R 1 E</u> | |
| County: <u>Sedgewick</u> Distance and direction from nearest town or city street address of well if located within city? <u>946 W. 53rd n.</u> | |
| 2 WATER WELL OWNER: <u>Mr Blankenship</u> Board of Agriculture, Division of Water Resources RR#, St. Address, Box # : <u>946 W. 53rd n.</u> Application Number: <u>none</u> City, State, ZIP Code : <u>Wichita, KS</u> | |
| 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: | 4 DEPTH OF COMPLETED WELL <u>35</u> ft. ELEVATION: <u>1300</u> |
| | Depth(s) Groundwater Encountered <u>15</u> ft. 2 <u>15</u> ft. 3 <u>12-5-05</u> ft. WELL'S STATIC WATER LEVEL <u>15</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was <u>15</u> ft. after <u>12-5-05</u> hours pumping <u>12-5-05</u> gpm Est. Yield <u>15</u> gpm: Well water was <u>15</u> ft. after <u>12-5-05</u> hours pumping <u>12-5-05</u> gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial <u>10</u> Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>no</u> <u>X</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>no</u> <u>X</u> |
| 5 TYPE OF BLANK CASING USED: | |
| 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped <u>no</u> | 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <u>no</u> |
| Blank casing diameter <u>6</u> in. to <u>25</u> ft., Dia <u>25</u> in. to <u>160</u> ft., Dia <u>160</u> in. to <u>160</u> ft. | Casing height above land surface <u>12</u> in., weight <u>160</u> lbs./ft. Wall thickness or gauge No. <u>160</u> |
| TYPE OF SCREEN OR PERFORATION MATERIAL: | |
| 1 Steel 3 Stainless Steel 5 Fiberglass <u>7</u> PVC 10 Asbestos-Cement | 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RMP (SR) 11 Other (Specify) <u>12</u> None used (open hole) |
| SCREEN OR PERFORATION OPENINGS ARE: | |
| 1 Continuous slot <u>3</u> Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) | 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify) <u>10</u> ft. |
| SCREEN-PERFORATED INTERVALS: From <u>25</u> ft. to <u>35</u> ft., From <u>35</u> ft. to <u>35</u> ft., From <u>35</u> ft. to <u>35</u> ft. | |
| GRAVEL PACK INTERVALS: From <u>none</u> ft. to <u>none</u> ft., From <u>none</u> ft. to <u>none</u> ft., From <u>none</u> ft. to <u>none</u> ft. | |
| 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other <u>60</u> | |
| Grout Intervals: From <u>0</u> ft. to <u>15</u> ft., From <u>15</u> ft. to <u>15</u> ft., From <u>15</u> ft. to <u>15</u> ft., From <u>15</u> ft. to <u>15</u> ft. | |
| What is the nearest source of possible contamination: | |
| <u>1</u> Septic tank <u>4</u> Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well | 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well |
| 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) | 13 Insecticide storage |
| Direction from well? <u>west</u> How many feet? <u>60</u> | |
| FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS | |
| <u>0</u> <u>8</u> <u>Top Soil</u> <u>0</u> <u>8</u> | |
| <u>8</u> <u>19</u> <u>Fine Tan Sand</u> <u>8</u> <u>19</u> | |
| <u>19</u> <u>35</u> <u>Coarse Tan Sand</u> <u>19</u> <u>35</u> | |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12-5-05</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>473</u> This Water Well Record was completed on (mo/day/yr) <u>12-5-05</u> under the business name of <u>Beardsley Pump & Well</u> by (signature) <u>David Bask</u> | |