	WATER WELI	L RECORD FO	orm WW	C-5 K	SA 82a-1212	
1 LOCATION OF WATER WEL				ON NUMBER	TOWNSHIP NUMBER	RANGE NUMBER
Sedgwick		W 1/4 SE	1/4	22	T 26 S	R 1E E/W
Distance and direction from nearest town or city street address of well if located within city?						
45th St. N. and 3/4 mile East of Hydraulic, 1/8 mile North (2 wells on 1 permit) Wichita, Kansas						
2 WATER WELL OWNE	Roard of Agriculture, Division of Water Percurse					
RR#,ST. ADDRESS,BOX					_	20050252
CITY, STAT		30		CODE:	Application Nu	mber: 20030333
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION		D WELL: 30			ELEVATION:	
N N	Depth of groundwater End		ft.		ft.	ft.
	WELL'S STATIC WATER	RLEVEL 10	FT. BELOV	LAND SU	RFACE MEASURED ON mod	/day/yr: 1/11/06
NWNE	1 1	est data: Well wate	er was			s of pumping @ gpm
w Wile	Est. Yield:	gpm Well water				rs of pumping @ gpm
	Bore Hole Diameter	in.	to	ft.	and in.	to ft.
swse	WELL WATER WEE U		er sunnh	7. Lawn a	nd garden only 9. Dewater	
12. Other (Specify Below)						
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring Well  S						
•	submitted				/ater Well Disinfected?	YES NO
5 TYPE OF CASING	USED: 5. Wrought Iron	7. Fiberglass	9. Oth	er (Specify	below) CASING JOINTS:	Glued Threaded
1. Steel	3. RPM (SR)	•		, , ,	,	Welded Clamped
2. PVC	4. ABS 6. Asbestos-Ce	ement 8. Concrete til	е			
Blank casing diameter	<b>8</b> in. to	ft., Dia.	in.	to	ft., Dia.	in. to ft.
Casing height land surface: 36 in., Weight: lbs. / ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A						
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
						11. None ( open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) N/A						
		.,			_	
SCREEN - PERFORATION		ft. to		ft.,	From ft.	to ft.
	From	ft. to		ft.,	From ft.	to ft.
GRAVEL PACK IN	NTERVALS: From	ft. to		ft.,	From ft.	to ft.
	From	ft. to		ft.,	From ft.	to ft.
6 GROUT MATERIALS:	1. Neat cement	2. Cement Grout	3	Bentonite	Other ben	tonite hole plug
Grout Intervals: From ft. to ft., From ft. to ft., From 3 ft. to 23 ft.						
What is the nearest source of possible contamination:						
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well 16. Other (specify below)						
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)						
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None Apparent						
Direction from well?					How many feet?	00101.60
From To	LITHOLOGIC L	.OG	From	To		OGIC LOG
		78.4	0	3	surface clay and silt	
			23		bentonite hole plug chlorinated sand & gr	royal
			1 23	.SU_	emorinateo sauo ez g	AVEL
	<del></del>					
			-			
7 Contractor's art and	owner's Cartification: This water wa	llwas 1 construct		onetruoto	or 3. plugged	under my jurisdiction and
1/11/2007						
was completed on (mo/	• • •			•	-	
Kansas Water Well Con	stractor's License No. 236	This water we	ell record wa	s completed	f on (mo/day/year) 1/1	3/2006
under the business name of Harp Well & Pump Service Inc. by (signature)						
Jodd S. Harn						