			WATER WE	LL RECORD	For	m WW	C-5 K	SA 82a-1212			
1 LOCATION		WELL:	FRACTION	N.E.			ON NUMBER			RANGE N	
☐ Sedgwi			NW 1/4		SW 1	/4	31	T 26	s	R 1	E E/W
Distance and direction from nearest town or city street address of well if located within city?  3315 N. Clarence Wichita, Kansas											
			Wichita, K GREEDY, Tim	Lansas							
2 WATER RR#,ST. A	NELL O		N. Clarence						Board of Agr	iculture, Division of	Water Resource
INIA,OI. A	CITY, STATE: Wichita, Kansas						ZIP CODE: Application Number:				
3 LOCATE V	WELL'S LOC		DEPTH OF COMPLE	ETED WELL	40	ft.	JUDE.	ELEVATION:			
WITH AN	"X" IN SECT	TION BOX:	pth of groundwater E			ft.			ft.		ft.
	, N		ELL'S STATIC WAT	_	5 F		V I AND SU	RFACE MEASUR		day/yr: 3/1	5/06
		- NE			ell water		7 27412 00	ft. after		s of pumping @	gpm
		1	Est. Yield:		ell water			ft. after		s of pumping @	gpm
w <u>W</u>	X I	E B	ore Hole Diameter	12 in.		to 40	<b>0</b> ft.	and	in.	to	ft.
-			ELL WATER TO BE						9. Dewater	ing 11. Inje	ection well
	W	1						nd garden only	) 		Specify below)
		2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning  Was a chemical/bacteriological sample submitted to Department?  YES  NO  10. Monitoring well  ; If yes, what mo/day/yr was sample									
	S		vas a chemical/bacterio bmitted	logical sample submit	пеа то рер	artment?	YES Was V	NO Vater Well Disinfed		YES	NO
5 TYPE	OF CASI	NG USED:	5 Mrought Is	on 7. Fibe	ralace	9. Off	her (Specify	below) CASIN	IG JOINTS:	Glued	Threaded
	Steel	3. RPM (SF	•		-	SDR		, , , , , , , , , , , , , , , , , , , ,		Welded	Clamped
	PVC	4. ABS	6. Asbestos-6	_	crete tile	SUN	-20				
Blank casin	g diameter	5	in. to 3	0 ft., Di		in.	to	ft., Di	a.	in. to	ft.
l ,		land surface:	12 in.,	Weigh	nt: 2.	.35 lb	s. / ft.	Wall thick	ness or gau	ge No214	4
ı		R PERFORATION		7. PVC		0.45		11 045-	r (specify)		
1. Steel		Stainless Steel	5. Fiberglass			9. AE				, holo)	
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:  1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None ( open hole)											
1. Continu		3. Mill sl		auzed wrapped			ch cut			TT. None (	open note)
2. Louver	ed shutter	4. Key p	unched 6. W	ire wrapped		8. Sav	v cut	10. Other	(specify)		
SCREEN - F	PERFORA	TION INTERVAL	From	<b>30</b> ft.	to	40	ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
GR	AVEL PAC	K INTERVALS:	From	<b>24</b> ft.	to	40	ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug											lug
Grout In		From 4	ft. to	24 ft., F	-rom	ft.	to	ft.,	From	ft. to	o ft.
What is the nearest source of possible contamination:  7. Pit prior.  10. Livestock pens.  13. Insecticide storage.  15. Oil well/Gas well.										/Gas well	
9 Severe legen 11 Evel storage 44 About 11 16 Other (specify be											
2. Sewer lines 5. Cess Pool 5. Cess Pool 14. Adamon water well											
3. Waterti		r line 6. Seepa West	age pit 9.1	. Jou yaiu	12.	. Crunzei	Jiorage	How man	y feet? 10	feet plus	
From	To		LITHOLOGIC	LOG		From	То			OGIC LOG	
0		topsoil									
4		clay							·		
12	25	medium sand	d		-				<del></del> -	<u> </u>	
25	40	coarse sand			<del>- +</del>						
			*								
									***		
					-+						
									***		· · · · · · · · · · · · · · · · · · ·
7 Contra	actor's or L	.andowner's Certif	fication: This water v	vell was 1. cons	tructed	2. re	constructe	d or 3. p	lugged	under my jurisd	iction and
was completed on (mo/day/year) 3/15/2006 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3/17/2006											
under the business name of Harp Well & Pump Service Inc. by (signature)  Jo dd S. Harp											