1 LOCATION	OF WATER	WELL:	Fraction				S	ection Numb	ber 1	Township Numb	er	Ran	ge Numbe	
County:	Sedg	wick	NW	1/4 SE	1/4	NW	1/4	36	т	26	s	R	01	Е
Distance and	direction from	n nearest t	own or city stre	et address o	f well if	ocated with	hin city?							
5252 East														
2 WATER W														İ
RR#, St. Addr	ress, Box #	; P.O.	BOX 7730						Во	oard of Agricultu	ıre, Divisi	ion of W	ater Resou	ırces
City, State, ZI	P Code	: Wich	ita, KS 672	<u> 277-7730</u>					Ar	oplication Numb	er:			
3 LOCATE V	WELL'S LOCA	ATON WI	TH 4 DEDTU	OF COMPI	ETED W	/EL 1		26 45	: EVATIO	. b .l.				
┰ ^ᡢ ╸ ╱┈	SECTION BO	^	JUEFIN	OF COMPL	E160 W	/ELL		IL E	LEVATIO	N:				
T		1	Depth(s) G	roundwater	Encount	erea 1			π. 2		π. 3	•		OFFICE
	Niv	NE								measured on i				유
₩ W	î l	1		Pump test d	lata: W	/ell water v	vas		ft. after	r	hours pu	ımping		gpm CS
± w —	i	-	Est. Yield	g	pm: V	/ell water v	vas		ft. afte	r r nd	hours pu	ımping		gpm m
1 1	1	SE	Bore Hole	Diameter	8.25	in. to		26	ft. an	d Air conditionin Dewatering	in.	to		ft. N
	- Sw	SE	1 Dor	mestic 3 F	eed lot	o: 5 Pui 6 Oil	field wate	r supply er supply	9	Dewatering	y 11 12	Other (Specify be	low)
♦			2 Irric	nation 4 I	ndustrial	7 lav	wn and d	arden (dom	petic) 1	0 Monitoring w			(,
	s													
		•		mical/bacter	lological	sample su	omittea	о рерапте	-	No X	-			was
5 m/05 05	51 4114 646	110 1105	submitted							ell Disinfected?				
5 TYPE OF					_	Iron		ncrete tile		CASING JOINTS			Clamped	
1 Stee		_	IP (SR)				9 Oth	er (specify	below)		Welde			
2 PVC		4 AB			Fiberglas						Thread	ed	Flush	<u>`</u>
Blank casing	diameter	2	in. to	16	ft., Dia		i	n. to	ft.,	Dia		in. to		ft.
Casing heigh	t above land	surface	Flush	in., we	eight	0	.703	lbs	s./ft. Wall	thickness or ga	uge No.		SCH. 40	
TYPE OF SC	REEN OR P	ERFORA?	TON MATERIA	L:				7 PVC		10 Asbest	os-ceme	nt		
1 Stee	el	3 Sta	inless steel	5	Fiberglas	ss	_	8 RMP (S	R)	11 Other (12 None u	specify)			
2 Bras		4 Ga	lvanized steel	6	Concrete	e tile		9 ABS		12 None u	sed (ope	n hole)		
SCREEN OF	RPERFORAT		NINGS ARE:							Saw cut		11 Nor	ne (open h	ole)
1	tinuous slot	_	3 Mill slot			6 Wire w				Drilled holes				-
2 Lou	vered shutter		4 Key punche			7 Torch			10	Other (specify)			
SCREEN-PE	RFORATED	INTERVA	LS: From _	16	ft.	to	26		ft. From		ft. to	0		ft.
			From _		ft.	to			ft. From		ft. t	o		ft. 7
GRA	VEL PACK II	NTERVAL	S: From	14	ft.	to	26		ft. From		ft. t	o <u></u>		ft.
			From		ft.	. to			ft. From		ft. t	<u> </u>		ft.
6 GROUT	MATERIAL:	1 Ne	eat cement	2 Cem	ent grou	t	3	Bentonite	4 0	ther				
										ft. From				
		e of possil	ole contaminati	on:						pens				
1 Sep	tic tank		4 Lateral	lines	7	Pit privy			Fuel stora		15 Oil			1
2 Sew	ver lines		5 Cess p	oool	8	Sewage I	agoon	12 1	Fertilizer s	storage	16 Oth	ner (spe	cify below)	
3 Wat	tertight sewer	lines	6 Seepa	ge pit	9	Feedyard	1	13 1	Insecticide	e storage				
Direction from	m well?							How r	many feet					
FROM	TO	CODE		ITHOLOGIC	LOG		FRC	M TO)	PLUC	GING I	NTERVA	LS	
0	1 0 5		Topsoil				+							
8.5	8.5 10		Clay, silty, Sand, m-c											{
10	14		Clay	granieu			+							
14	21.5		Weathered	Shale			+							
21.5	26		Shale	Ollaio			+							
							1							
	l	<u></u>												
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was														
completed on (mo/day/yr) 3/2/06 and this record is true to/the best of my/knowledge and belief. Kansas														
Water Well	Contractor's I	License No).		31		TI	nis Water W	/ell Recor	d was complete	d on (mo	o/day/yr)	5/11	1/06
under the bu	usiness name	of	Geote	chnical S				by (signa	iture) ///	1//				
INSTR	UCTIONS: PI	ease fill in I	planks and circle	the correct ar	nswers. S	Send three o	copies to	Kansas Dep	artment of	Health and Envir	onment, E	Bureau of	Water, 100	0 S W
Jackso	11 St., Ste. 420	, торека, к	ansas 00012-13	or, relepnor	e. 913-2	90-0045. S	ena one	OWATERV	VELL OWN	NER and retain or	ie for you	records		