WATER WELL RECORD			Form WWC-5		Division of Water Resources; App. No.			
	CATION OF W	TER WELL:	Fraction S W ₄ S	W 1/4	Section Numbe	Township Number	Range Number R EW	
	stance and direction from nearest town or city street address of well if Glol				lobal Positioning Systems (decimal degrees, min. of 4 digits)			
	ated within city?	946 W	532	:	Latitude:			
2 W	ATER WELL O	WNER:	Janka.		Longitude: _			
	R#, St. Address, B	ox# : 946	53.0		Dotum:			
	ty, State, ZIP Cod	le 776	53 D- 6	1204	Datum.	n Mathad		
	CATE WELL'S	4 DEDTH OF COMP	LETED WELL	-		on Method:		
		CATION						
	WITH AN "X" IN Depth(s) Groundwater Encountered (1)							
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							
312	N	Pump test data	Well water was	ا1L. (ft after	hours numning	onm	
Pump test data: Well water wasft. after hours pumping. Est. Yieldgpm: Well water wasft. after hours pumping								
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning								
w	1 Demoti 2 Feetlet (01 feetlet month) 0 Demotic 12 Other (See ifeet							
~ ⊢	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
	Was a chemical/bacteriological sample submitted to Department? Yes No							
	Sample was submitted							
S Sample was submitted								
5 TV	PE OF CASING	USED: 5 Wrought I	ron 8 Con	roto tilo	CAS	ING JOINTS: Glued	Clampad	
		USED: 5 Wrought I MP (SR) 6 Asbestos-	Coment 0 Othe	r (specify l			7. S Clamped	
		3S 7 Fiberglase					1	
Blank	casing diameter	in to Z	ft Diameter	in		f Diameter	in to ft	
Blank casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight Wall thickness or guage No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 VC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From								
(CD	OUT MATERIA	T. 1 No.4	2 D		4.04			
	OUT MATERIA		ement grout 3 Be	ntonite		ft., From		
		rom ft. to		I	τ. το	π., From	II. toII.	
		-		O Livrata	alr mana 12	Ingontiaida Stangas	16 Other (specify	
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
Direct	ion from well?	The second			feet?			
FROM		LITHODOGIC		FROM	TO	PLUGGING INT		
C	9 4	The Same		TROM		12000HtGHtH	DICTIES	
d	127	E	1 2					
1-	7 39 (sarse to	2-1		<u> </u>			
		every ser	, many	1				
							· · · · · · · · · · · · · · · · · · ·	
				-				
				1				
				<u> </u>	 			
				ļ	ļ			
T CONTENT CHORDS ON I AND ON THE PARTY OF TH								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year)								
Ransas water wen contractor selectise to								
under the business name of Search Figure 1 and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdhe.state.ks.us/geo/waterwells.								