WATER WELL RECORD Form WWC-5 KSA 82a-1212							
1 LOCATION OF WATER WELL:	FRACTION		i i	N NUMBER	TOWNSHIP NUMBER	RANGE NU	
Sedgwick	NE 1/4 SW		1/4	19	T 26 S	R 1E	E/W
Distance and direction from nearest town or city street address of well if located within city? 51st and Meridian Wichita, Kansas (23 plugs on 1 permit)							
2 WATER WELL OWNER: WICHITA, CITY OF							
RR#,ST. ADDRESS,BOX #: 455	Board of Agriculture, Division of Water Resource						
	hita, Kansas		ZIP	CODE:	Application Nu	umber: 2006	0140
3 LOCATE WELL'S LOCATION 4	DEPTH OF COMMON W	/ELL: 48	ft.		ELEVATION:		
WITH AN "X" IN SECTION BOX: De	epth of groundwater Encounte	ered:	ft.		ft.		ft.
	ELL'S STATIC WATER LEV	EL 15 I	FT. BELOW	LAND SUF	RFACE MEASURED ON mo	/day/yr: 11/2	1/06
NWNE	Pump test da					rs of pumping @	gpm
W Wile	Est. Yield: gpm	Well wate in.	r was to	ft.		rs of pumping @ to	gpm ft.
N	Bore Hole Diameter VELL WATER WARE USED A		ıo	11.	and in.	44 lula	ction well
	1. Domestic 3. Feedlot	5. Public water	er supply	7. Lawn ar	nd garden only		pecify below)
	2. Irrigation 4. Industria			8. Air cond	. 16	ring well s, what_mo/day/yr v	vac campla
Ŭ	Was a chemical/bacteriological sa submitted	ample submitted to De	epartment?	YES Was W	ater Well Disinfected?		NO
5 TYPE OF CASING USED:	E Manualt Iron	7. Fiberglass	9. Oth	er (Specify	below) CASING JOINTS	Glued	Threaded
1. Steel 3. RPM (S	•	_		(,	,	Welded	Clamped
2. PVC 4. ABS	6. Asbestos-Cement						
Blank casing diameter 8	in, to ft	., Dia.	in.	to	ft., Dia.	in. to	ft.
Casing height below and surface: 36 in., Weight: lbs. / ft. Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A							
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)							
SCREEN OR PERFORATION OPENII	NGS ARE:						
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut					9. Drilled holes 11. None (open hole)		
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) N						N/A	
SCREEN - PERFORATION INTERVAL	- From	ft. to		ft.,	From ft.	to	ft.
	From	ft. to		ft.,	From ft.	to	ft.
GRAVEL PACK INTERVALS:	From	ft. to		ft.,	From ft.	to	ft.
	From	ft. to		ft.,	From ft.	to	ft.
6 GROUT MATERIALS: 1. Nea	at cement 2. Ce	ment Grout	3	Bentonite	Other be	ntonite hole p	
							0
What is the nearest source of possible contamination: 1. Soptia tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well						/Gas well	
1. Septic talik 4. Lateral miles 9. Savage legger 11 Fuel storage 14. Al					14. Abandon water w	40 Other /	specify below)
2. Sewer lines 5. Cess Pool 5. Strange lageon 12. Servillage sterage None Apparent							pparent
3. Watertight sewer line 6. See Direction from well?	page pit 0.100m y			010.12	How many feet?		
From To	LITHOLOGIC LOG	3	From	То	LITHO	LOGIC LOG	
				3	surface clay and silt		
			3		bentonite hole plug	d cucard	
		- '	24	48	chlorinated sand and	и дгачег	
	i		1				
			+				
				<u> </u>			
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and							
was completed on (mo/day/year) 11-21-2006 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's Lic	cense No. 236	This water w	ell record wa	s complete		1-29-2006	
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp							