Form WWC-5 KSA 82a-1212 WATER WELL RECORD TOWNSHIP NUMBER RANGE NUMBER LOCATION OF WATER WELL: SECTION NUMBER 19 26 S 1**W** E/W NE SE NW T Sedgwick 1/4 1/4 Distance and direction from nearest town or city street address of well if located within city? EAST 53 St. North and Charles Wichita, Kansas WATER WELL OWNER: WICHITA, CITY OF Board of Agriculture, Division of Water Resource 455 N. Main RR#,ST. ADDRESS,BOX #: 20060140 Wichita, Kansas Application Number: CITY, STATE: ZIP CODE: 48 **ELEVATION:** LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLECED WELL: ft. ft. ft ft Depth of groundwater Encountered: 15 12/11/06 WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Well water was Pump test data: ft. after hours of pumping @ gpm NE ft. after hours of pumping @ gpm Est. Yield: Well water was gpm ≣ ft. Bore Hole Diameter and in. WELL WATER WASE USED AS: 11. Injection well 9. Dewatering 7. Lawn and garden only SW SE 5. Public water supply 1. Domestic 3. Feedlot 12. Other (Specify below) 10. Monitoring well 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO submitted Was Water Well Disinfected? YES NO TYPE OF CASING USED: 9. Other (Specify below) CASING JOINTS: Glued Threaded 5. Wrought Iron 7. Fiberglass 3. RPM (SR) 1. Steel Welded Clamped 8. Concrete tile 6. Asbestos-Cement 4. ABS 2. PVC Blank casing diameter 8 Dia. to in. to Dia. ft. in. to Casing height house land surface: 36 in., Weight: lbs. / ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 11. Other (specify) N/A 7. PVC 3. Stainless Steel 9. ABS 1. Steel 5. Fiberglass 8. RMP (SR) 12. None used (open hole) 6. Concrete Tile 10. Asbestos-Cement 2. Brass 4. Galvanized SCREEN OR PERFORATION OPENINGS ARE 3 Mill slot 7. Torch cut 9. Drilled holes 1. Continuous slot 5. Gauzed wrapped 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) N/A SCREEN - PERFORATION INTERVAL From to ft., From ft. ft. ft. From to ft., From to ft. **GRAVEL PACK INTERVALS:** ft. to From ft., From ft. to ft. ft to ft From From ft. **GROUT MATERIALS:** Other 16 1. Neat cement 2. Cement Grout 3. Bentonite bentonite hole plug Grout Intervals: ft. to From ft., From ft. From 3 to 24 ft. What is the nearest source of possible contamination: 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 11. Fuel storage 8. Sewage lagoon 14. Abandon water well 5. Cess Pool 2. Sewer lines None Apparent 12. Fertilizer storage 9. Feed yard 3. Watertight sewer line 6. Seepage pit How many feet? Direction from well? From LITHOLOGIC LOG Τо From Τo LITHOLOGIC LOG 0 surface clay and silt 3 24 bentonite hole plug 24 48 chlorinated sand and gravel Contractor's or Landowner's Certification: This water well was 1, constructed plugged 2. reconstructed or 3. < under my jurisdiction and 12-11-2006 and this record is true to the best of my knowledge and belief. was completed on (mo/day/year) Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 12-15-2006 by (signature) under the business name of Harp Well and Pump Service