WATER WELL RECORD	Form WWC-5	5 KSA 82a-121	2		
1 LOCATION OF WATER WELL: FRACTION NW SESES					
	Ø£ 1/4 17	Т 26	S	R 1E	E/W
Distance and direction from nearest town or city street address of well if located within city?					
5439 N. Shelton Wichita, Kansas					-
2 WATER WELL OWNER: MATSON, Mike			Board of Agrid	culture, Division of Wat	er Resource
RR#,ST. ADDRESS,BOX #: 8311 W. Nantucket CITY, STATE: Wichita, Kansas	717.00	<sub>DE:</sub> 67212	A Parking Marie		
			Application Num	nber:	<b></b>
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPANY WELL:		ELEVATION:	_		_
Depth of groundwater Encountered:	ft.		ft.		ft.
WELL'S STATIC WATER LEVEL 8		ND SURFACE MEASU		• •	
1 1 ''' 1 ''- 1 1	ll water was	ft. after		of pumping @	gpm
Est. Yield: gpm We	II water was	ft. after		of pumping @	gpm
WELL WATER WEE USED AS:	to	ft. and	in.	to an 11. Injecti	ft.
	c water supply	awn and garden only	> <sup>9. Dewaterir</sup>	ng 11. mjecu 12. Other (Spe	
		Vir conditioning	10. Monitorin		ony below,
S Was a chemical/bacteriological sample submitte	ed to Department?	ES NO		vhat mo/day/yr was	•
submitted		Was Water Well Disinfe	cted? (	YES NO	<del></del>
TYPE OF CASING USED:  1. Steel  3. RPM (SR)  5. Wrought Iron  7. Fiberg	lass 9. Other (S	Specify below) CASI	NG JOINT <b>S</b> :	Glued T	hreaded
2. PVC 4. ABS 6. Asbestos-Cement 8. Concr	ete tile			Welded (	Clamped
Blank casing diameter 5 in. to ft., Dia		- 4 r	Dia. i		£1
la suchalus 20		,	•	in. to	ft.
•	lbs./ft	. Wall this	ckness or gaug	je No.	
TYPE OF SCREEN OR PERFORATION MATERIAL:  1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A					
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:  1. Continuous slot  3. Mill slot  5. Gauzed wrapped	7. Torch ci	.t Q Deilla	d holes	11. None ( ope	an hole)
					iii iioie)
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. Saw cut	10. Othe	r (specify) N/	Α	
SCREEN - PERFORATION INTERVAL From ft.	to ft.,	From	ft.	to	ft.
From ft.	to ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS: From ft.	to ft.,	From	ft.	to	ft.
From ft.	to ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout	3 Ren	tonite	Other hente	onite hole plug	
Grout Intervals: From ft. to ft., From ft. to ft., From 2 ft. to 25 ft.					
What is the nearest source of possible contamination:	• •••	•			
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well					
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)					
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage					
Direction from well? South			ny feet? 10		
From To LITHOLOGIC LOG		<u>o</u>	LITHOLO	GIC LOG	
		2 cement		<del> </del>	
		5 bentonite ho 3 well gravel	ie plug	****	
	25 3	3 well gravel			***
					<del></del>
	<del>-   -   -   -   -   -   -   -   -   -  </del>	<del></del>			
Contractor's or Landowner's Certification: This water well was 1. constru	icted 2. reconst	ructed or 3. p	lugged u	ınder my jurisdictior	and
was completed on (mo/day/year)  7/18/2008  and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 236  This water well record was completed on (mo/day/year)  7/23/2008					
under the business name of Harp Well and Pump Service by (signature) Todd S. Houp					