	WATER WEL	L RECORD	Form WW	'C-5 K	SA 82a-1212	2			
1 LOCATION OF WATER WELL:	FRACTION			ION NUMBER			RANGE NU		
Sedgwick	1 22 1/1	W 1/4 SE	1/4	29	T 26	S	R 1E	E/W	
Distance and direction from nearest to	•	-	Vichito K	meac	(A logs on 1)	normit)			
2 WATER WELL OWNER:	nsas, 1 block East and WICHITA, CITY O		Vichita, Ka	ацьаь	(4 logs on 1	per mit)			
RR#,ST. ADDRESS,BOX #:						Board of Agriculture, Division of Water Resource			
CITY, STATE:	STATE: Wichita, Kansas			CODE:		Application Number: 20070508			
3 LOCATE WELL'S LOCATION	4 DEPTH OF CHARGE	D WELL:	15 ft.		ELEVATION:				
WITH AN "X" IN SECTION BOX:	Depth of groundwater En		ft.			ft.		ft.	
	WELL'S STATIC WATE	R LEVEL 10	FT. BELO	N LAND SU	JRFACE MEASUR	RED ON mo/d	ay/yr: 9/5/	08	
	Pump	test data: Well wa	ater was		ft. after	hours	of pumping @	gpm	
<u>o</u>	Est. Yield:	gpm Well w	ater was		ft. after	hours	of pumping @	gpm	
w Wije	E Bore Hole Diameter	in.	to	ft.	and	in.	to	ft.	
Sw SE	WELL WATER WASE U		ater supply	7. Lawn a	and garden only	9. Dewaterin	19	ction well	
			water supply		nditioning	10. Monitorin	12. Other (Sp g well	ecity below)	
S	Was a chemical/bacteriolog			YES	NO	; If yes, v	vhat mo/day/yr w		
	submitted			Was V	Vater Well Disinfe	cted?	YES N	10	
5 TYPE OF CASING USED	5 Wrought Iron	n 7. Fiberglas	s 9. Ot	her (Specify	below) CASI	NG JOINTS:	Glued	Threaded	
	RPM (SR) ABS 6. Asbestos-Ce	ement 8. Concrete	tile				Welded	Clamped	
2. PVC 4. A	8 in. to	ft., Dia.	in.	to	ft., D	Dia.	n. to	ft.	
1		,					-	16.	
Casing height Land surface: 36 in., Weight: lbs. / ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL:									
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A									
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)									
SCREEN OR PERFORATION C	PENINGS ARE:								
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open ho								pen hole)	
2. Louvered shutter	4. Key punched 6. Wire	e wrapped	8. Sa	w cut	10. Othe	r (specify) N	'A		
SCREEN - PERFORATION INTE	• •	ft.	io.	ft.,	From	ft.	to	ft.	
SCREEN - PERFORATION INTO	From		io	ft.,	From		to		
GRAVEL PACK INTER			to		From	ft. ft.	to to	ft.	
GRAVEL PACK INTER	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		to	ft.,				ft.	
- LODOUT MATERIALS	From	***************************************		ft.,	From	ft.	to	ft.	
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug Grout Intervals: From 3 ft. to 23 ft., From ft to ft From ft. to							•		
Grout Intervals: From What is the nearest source of po	•	23 ft., From	ft.	to	ft.,	From	ft. to	ft.	
1. Septic tank 4. Lateral lines 7. Pit privy 10				D. Livestock pens		13. Insecticide storage		15. Oil well/Gas well	
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11				rage	14. Abandon water well		16. Other (specify below) None Apparent		
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage							None Ap	рагепт	
Direction from well?	LITUOL COLO.		1 -		How man		010100		
From To	LITHOLOGIC L	_OG	From	To			GIC LOG		
		******	3	23	compacted c bentoniet ho	•			
			23	45	chlorinated				
				l			/////////////////////////////////////		
						,			
			_						
		_							
7 Contractor's or Landowner	's Certification: This water we	li was 1. construct	ed 2. re	constructe	d or 3. (F	lugged	under my jurisdict	lion and	
was completed on (mo/day/year) 9/5/2008 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contracto	•				d on (mo/day/year		2008		
1							_		
under the business name of Harp Well and Pump Service by (signature) Todd S. Horb									