	WATER WEL	L RECORD F	orm WW	/C-5 K	SA 82a-1212	2		
1 LOCATION OF WATER WELL:	FRACTION		SECT	ION NUMBER		NUMBER	RANGE N	
☐ Sedgwick	SE 1/4	NW 1/4 SE	1/4	29	T 26	S	R 11	E E/W
Distance and direction from nearest	town or city street address of well if I	ocated within city?						
45th St. and Arkans	sas Wichi	ta, Kansas		(3 plugs	on 1 permit)			
2 WATER WELL OWNER:	WICHITA, CITY O	F						
RR#,ST. ADDRESS,BOX #:	455 N. Main					Board of Agric	culture, Division of \	Water Resource
CITY, STATE:	Wichita, Kansas		ZII	CODE:		Application Num	ber: 200'	70508
3 LOCATE WELL'S LOCATION	4 DEPTH OF DIMPA	WELL: 40	) ft.		ELEVATION:	-		
WITH AN "X" IN SECTION BO	x:		ft.			ft.		ft.
N N	Depth of groundwater E						0/2	
	WELL'S STATIC WATE			W LAND SU	JRFACE MEASUR			0/08
NWNE	1 1	test data: Well wat			ft. after		of pumping @	gpm
w William	Est. Yield:	gpm Well was			ft. after		of pumping @	gpm
	Bore Hole Diameter	in.	to	ft.	and	in.	to	ft.
- Sw XSE	WELL WATER WEEL		4aa aaab.	7 1 awn	and garden only	9. Dewaterin	9	ection well
I Swall see		edlot 5. Public wa				10. Monitorin		pecify below)
	, <b>,</b> ,	dustrial 6. Oil field w			nditioning		yhat mo/day/yr	was sample
S	submitted	ogical sample submitted to [	Department?	YES Was \	NO Vater Well Disinfe			NO
5 TYPE OF CASING US	ED:		0.04				Glued	Threaded
•	5. Wrought Iro 3. RPM (SR)	on 7. Fiberglass	9. 0	her (Specify	( below) CASII	NG JOINTS:	Welded	Clamped
	4. ABS 6. Asbestos-C	ement 8. Concrete ti	ile				Weided	Clampeu
Blank casing diameter	8 in. to	ft., Dia.	in.	to	ft., D	ia.	in. to	ft.
		,			,			
Casing height and su	,	Weight:	It	s. / ft.	Wall thic	kness or gaug	je No.	
TYPE OF SCREEN OR PERFORATION MATERIAL:  1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A								
1. Steel								
2. Brass 4. Galvar	nized 6. Concrete Tile	8. RMP (SR)	10. A	spestos-Ce	ment 12. Non	e used (open	noie)	
SCREEN OR PERFORATION	OPENINGS ARE:							
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7.				Torch cut 9. Drilled holes 11. None ( open hole)				
2. Louvered shutter	4. Key punched 6. Win	re wrapped	8. <b>Sa</b>	w cut	10. Other	(specify) N	/A	
SCREEN - PERFORATION IN	ITED\/AI France	ft. to		4	From			4
SCREEN - PERFORATION III				ft.,		ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTE	RVALS: From	ft. to	)	ft.,	From	ft.	to	ft.
1	From	ft. to	)	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS:	1. Neat cement	2. Cement Grout	3	. Bentonite	, (	Other bent	onite hole pl	ug
Grout Intervals: From ft. to ft., From ft. to ft., From 3 ft. to 23 ft.								
What is the nearest source of	possible contamination:				•			
1. Septic tank 4. Lateral lines 7. Pit privy 10.				Livestock pens 13. Insecticide storage 15. Oil well/Gas well				
2. Sewer lines 5. Cess Pool 5. John Straight March Walter Well							pecify below)	
3. Watertight sewer line	6. Seepage pit 9. F	eed yard	12. Fertilize	storage			None A	pparent
Direction from well?					How man	ny feet?		
From To	LITHOLOGIC	LOG	From	То		LITHOLO	GIC LOG	
			0	3	compacted se	oil		
			3	23	bentonite ho	le plug		
			23	40	chlorinated (	gravel		
		4-4-07-mmmm	<u> </u>					
	***************************************		-	<u> </u>				
			<del></del>	<b> </b>				
					<del> </del>			
			+	-				
			+		<del> </del>			
			<b>†</b>					
			1		<u> </u>			
					1			
7 Contractor's or Landow	per's Certification. This water w	ell was 1 constructor	d 2 re	constructe	d or 3. p	lugged	under my jurisdio	ction and
0.20.2000								
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/3/2008								
under the business name of	f Harp Well and Pump	Service	by (si	gnature)	T	77.5	. Hari	<b>'</b>
1					10	June	. ILWA	,