P95							
WATE	R WELL RE	CORD	Form WWC-5	Division of Wat	er Resources; App. No.		
1 LOC	ATION QF WA	ATER WELL:	Fraction	Section Number		Range Number	
Coun	ty: Sedwig		SE45W 4NW 4	35	T Z6 S	R EW	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digital degrees).							
	located within city?				Latitude:		
Sw of office complex				Longitude:	Longitude:		
2 WATER WELL OWNER: Koch-Glitsch Industries RR#, St. Address, Box # : 11111 5 77th St. Address				Elevation:	Elevation:		
City State 7ID Code 4111 E. 37 57. North				Datum:	Datum:		
	Wichita Ksi				Data Collection Method:		
	ATE WELL'S	4 DEPTH OF COME	PLETED WELL/	ft ft			
	OCATION //ITH AN "X" IN Depth(s) Groundwater Encountered (1)						
	H AN "X" IN ΓΙΟΝ BOX:	WELL'S STATIC WATER LEVEL372ft. below land surface measured on mo/day/yr					
SEC	N Pump test data: Well water wasft. after						
	Est. Yieldgpm: Well water wasft. afterhours pumpinggpm						
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
w NW	1 Demostic 2 Feedlet 6 Oil field water sample 0 Devetoring 12 Other (See if 1.1.)						
~	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well						
SW	SW SE						
	Was a chemical/bacteriological sample submitted to Department? Yes No						
Sample was submitted							
S							
	OF CASING		fron 8 Concrete ti	le CASIN	G JOINTS: Glued		
			Cement 9 Other (spec	-			
2 PVC 4 ABS 7 Fiberglass Threaded.							
Blank casing diameter in. to in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight lbs./ft. Wall thickness or guage No. 54.							
		PERFORATION MATE		ios./it.	extress of gauge 140.		
1 Steel 3 Stainless Steel 5 Fiberglass OVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)							
From							
GRAVEL PACK INTERVALS: From							
From ft. to ft., From ft. to ft.							
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout In				ft. to 1	t., From	ft. toft.	
	me nearest sourc Septic tank	e of possible contamination 4 Lateral lines		estock pens 13 In	secticide storage	16 Other (specify	
	Sewer lines		* *	-	bandoned water well	below)	
	Watertight sewer	•	0 0	5	21 11/ 11		
Direction	n from well?			nany feet?			
FROM	TO	LITHOLOGIC	LOG FRO	OM TO	PLUGGING INTE	ERVALS	
0	4 6	y most					
4	8 Sur	dy clay most					
8	12 C4	iver sand wit					
12	15 501	id, wet					
			111111111111111111111111111111111111111				
		k .					
		*					
		Alexander Company					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 1.75.7.9.8 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No 60 This Water Well Record was completed on (mo/day/year)							
under the	e business name	of Freinn In Pr	with Service From	by (signature)	D M	•	
INSTRUC	TIONS: Use typev	vriter or ball point pen. PLEA	SE PRESS FIRMLY and PRINT c	learly. Please fill in blank	s, underline or circle the co	rrect answers. Send top	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							

http://www.kdheks.gov/waterwell/index.html.