12/47	TER WELL PL	l ICCINIC		Form WV	NCAP	KSA 82a-1212	ID No.	A5	- 2
	OF WATER W		raction	1010 444	1001	Section Number	Township		Range Number
			NW 1/1	NW 12 1	VW 12	19	26	_ 1	OLE
unty: 🗨	dgwick		J V VA	treat address	of until He	ocated within city?	1 ~0	<u> </u>	Ole
WATER WER#, St. Add	ELL OWNER: tress, Box#	JA!	DEPTHO WELL'S S WELL WA	F WELL  STATIC WATER  AS USED AS:  Domestic  Irrigation  Feedlot  Industrial  industrial	2202 2 2 5 Pub 6 Oil 1 7 Law 8 Air	Board Applic	ttc) 1	9 Dewatark 0 Monitorin 1 Injection 2 Other	g Well Well
-	8 BLANK CASING	USED:	If yes, mo/day Water Well Di			No			
GROUT F	4 All and districted	ow land a	at cament 2	os-Cement 8 g pulled? Yes in. Cement grout	(3 B	Tile No If yea, how annual 4 Ot	her	udiid	
2 PVC Blank cash Casing held GROUT F Grout Plus	4 Aing diemeter	OW land a	6 Asbesti in. Was casin surface	os-Cement & g pulled? Yes In.  Cement grout	B Concrete  X	Tile to If yes, how	much Qu	udiid	
2 PVC Blank cash Casing help GROUT F Grout Plu What is th	4 Aing dismeter	ow land a L: 1 Na m Q ce of poss	6 Asbestin. Was casin surface sat cament 2 ft. to	os-Cement & g pulled? Yes In.  Cement grout	8 Concrete 6 X	Tile No If yes, how and the sentential of the se	much ()	vdviu	.ft. to
2 PVC Blank castr Casing help GROUT F Grout Plu What is th	4 All ng diemeter ght above or be PLUG MATERIA g intervals Fro ne nearest soun c tank	ow land a L: 1 Na m: Q ce of poss	6 Asbestin. Was casin surface sat coment 2 ft. to Seepage pit	os-Cement & g pulled? Yes In.  Cement grout	3 B	Tile No If yes, how antonite 4 Ot ft. to	her	v. di ille	ft. to
2 PVC Blank cash Casing help GROUT F Grout Plu What is the 1 Septil 2 Seween	4 All ng diemeter ght above or be PLUG MATERIA g intervals Fro ne nearest soun c tank or lines	ow land a	6 Asbesti in. Was casin surface pat cament 2 ft. to  ible contaminati 6 Seepage pit 7 Pit privy	os-Cement & g pulled? Yes In.  Cement grout  20 ft. From on:	3 B	Tile No If yea, how antonite 4 Ot ft. to	tt. From	vdvius	fl. to below) Station
2 PVC Blank cash Casing help GROUT F Grout Plu What is the 1 Septil 2 Seween	4 All ng diemeter ght above or be PLUG MATERIA g Intervals Fro he nearest source trank or lines ntight sewer line	ow land a	6 Asbestin. Was casin surface sat coment 2 ft. to Seepage pit	os-Cement & g pulled? Yes In.  Cement grout  20 ft. From on:	3 B	Tile No If yes, how antonite 4 Ot ft. to	tt. From	v. di ille	fl. to below) Station
2 PVC Blank cash Casing help GROUT F Grout Plu What is th 1 Septi 2 Sewe 3 Wate	4 All ng diemeter ght above or be PLUG MATERIA ng Intervals Fro ne nearest source c tank or lines night sewer line al lines	ow land a	6 Asbesti in. Was casin surface at cament 2 fit to  ible contaminati 6 Seepage pit 7 Pit privy 8 Sewage legor	os-Cement & g pulled? Yes In.  Cement grout  20 ft. From In.	3 Bomm  11 Fuel 12 Fert 13 Inse 14 Aba	Tile No If yea, how entanite 4 Ot ft. to  storage plizer storage cticids storage	tt. From	vdvius	nt. to below) Station
2 PVC Blank cash Casing help GROUT F Grout Plu What is th 1 Septi 2 Sowe 3 Wate 4 Later 5 Cess	4 All ng diemeter ght above or be PLUG MATERIA ig intervals Fro ne nearest soun ic tank or lines intight sewer line at fines	ow land a	6 Asbesti in. Was casin surface pat cament 2 fit to   ible contaminati 6 Seepage pit 7 Pit privy 8 Sewage lego 9 Feaciyard	os-Cement & g pulled? Yes In.  Cement grout  20 ft. From In.	3 Born 11 Fuel 12 Fert 13 Insec 14 Aba 15 Oil s	Tile No If yes, how entante 4 Ot ft. to storage placer storage cticids storage indened water well well Gas well	her tt. From	ner (specify) GAS	nt. to below) Station
2 PVC Blank cash Casing help GROUT F Grout Plu What is it 1 Sopti 2 Sowe 3 Wate 4 Later 5 Cess	4 All and demeter ght above or be PLUG MATERIA ghtervals. Find the negrest sound of tank or lines intight sewer lines if lines is Pool on well?	ow land a L: i Ne m O	6 Asbesti in. Was casin surface pat cament 2 fit to   ible contaminati 6 Seepage pit 7 Pit privy 8 Sewage lego 9 Feaciyard	os-Cement & g pulled? Yes in.  Coment grout  20 ft, From on:	3 Bomman	Tile No If yes, how entonite 4 Ot ft. to  I storage pitzer storage cticids storage ndoned water well y feet?	her tt. From	ner (specify) GAS	nt. to below) Station
2 PVC Blank cash Casing held GROUT Flu What is th 1 Septi 2 Sews 3 Wate 4 Later 5 Cess frection from	4 Aing diemeter ght above or be PLUG MATERIA ig intervals Fro be nearest sound ic tank or lines intight sewer line at lines it Pool in well?	ow land a  L: 1 Ne m O  co of poss	6 Asbesti in. Was casin surface at carrient 2 ft. to   ilble contamination 6 Seepage pit 7 Pit privy 8 Sewage legor 9 Feedyard 10 Livestook per	os-Cement & g pulled? Yes in. Cement grout  20 ft. From on:	3 Bomman	Tile No If yes, how entonite 4 Ot ft. to  I storage pitzer storage cticids storage ndoned water well y feet?	nuch (Lu) her t. From 16 On Q.La	ner (epecify)	nt. to below) Station
2 PVC Blank cash Casing help GROUT F Grout Plu What is th 1 Septi 2 Sewe 3 Wate 4 Later 5 Cess	4 All and demeter ght above or be PLUG MATERIA ghtervals. Find the negrest sound of tank or lines intight sewer lines if lines is Pool on well?	ow land a  L: 1 Ne m O  co of poss	6 Asbesti in. Was casin surface pat cament 2 fit to   ible contaminati 6 Seepage pit 7 Pit privy 8 Sewage lego 9 Feaciyard	os-Cement & g pulled? Yes in. Cement grout  20 ft. From on:	3 Bomman	Tile No If yes, how entonite 4 Ot ft. to  I storage pitzer storage cticids storage ndoned water well y feet?	nuch (Lu) her t. From 16 On Q.La	ner (specify) GAS	nt. to below) Station
2 PVC Blank cash Casing held GROUT Flu What is th 1 Septi 2 Sews 3 Wate 4 Later 5 Cess frection from	4 Aing diemeter ght above or be PLUG MATERIA ig intervals Fro be nearest sound ic tank or lines intight sewer line at lines it Pool in well?	ow land a  L: 1 Ne m O  co of poss	6 Asbesti in. Was casin surface at carrient 2 ft. to   ilble contamination 6 Seepage pit 7 Pit privy 8 Sewage legor 9 Feedyard 10 Livestook per	os-Cement & g pulled? Yes in. Cement grout  20 ft. From on:	3 Bomman	Tile No If yes, how entonite 4 Ot ft. to  I storage pitzer storage cticids storage ndoned water well y feet?	her	ner (epecify) GAS on Site	opelow) Station
2 PVC Blank cash Casing held GROUT Flu What is th 1 Septi 2 Sews 3 Wate 4 Later 5 Cess frection from	4 Aing diemeter ght above or be PLUG MATERIA ig intervals Fro be nearest sound ic tank or lines intight sewer line at lines it Pool in well?	ow land a  L: 1 Ne m O  co of poss	6 Asbesti in. Was casin surface at carrient 2 ft. to   ilble contamination 6 Seepage pit 7 Pit privy 8 Sewage legor 9 Feedyard 10 Livestook per	os-Cement & g pulled? Yes in. Cement grout  20 ft. From on:	3 Bomman	Tile No If yes, how entonite 4 Ot ft. to  I storage pitzer storage cticids storage ndoned water well y feet?	her	ner (epocity) GAS on Site	pelow) Station VED 2009
2 PVC Blank cash Casing held GROUT Flu What is th 1 Septi 2 Sews 3 Wate 4 Later 5 Cess frection from	4 Aing diemeter ght above or be PLUG MATERIA ig intervals Fro be nearest sound ic tank or lines intight sewer line at lines it Pool in well?	ow land a  L: 1 Ne m O  co of poss	6 Asbesti in. Was casin surface at carrient 2 ft. to   ilble contamination 6 Seepage pit 7 Pit privy 8 Sewage legor 9 Feedyard 10 Livestook per	os-Cement & g pulled? Yes in. Cement grout  20 ft. From on:	3 Bomman	Tile No If yes, how entonite 4 Ot ft. to  I storage pitzer storage cticids storage ndoned water well y feet?	her	ner (epocity) GAS on Site	pelow) Station VED 2009
2 PVC Blank cash Casing held GROUT Flu What is it 1 Septi 2 Sews 3 Wate 4 Later 5 Cess brection from	4 Aing diemeter ght above or be PLUG MATERIA ig intervals Fro be nearest sound ic tank or lines intight sewer line at lines it Pool in well?	ow land a  L: 1 Ne m O  co of poss	6 Asbesti in. Was casin surface at carrient 2 ft. to   ilble contamination 6 Seepage pit 7 Pit privy 8 Sewage legor 9 Feedyard 10 Livestook per	os-Cement & g pulled? Yes in. Cement grout  20 ft. From on:	3 Bomman	Tile No If yes, how entonite 4 Ot ft. to  I storage pitzer storage cticids storage ndoned water well y feet?	her	ner (epocity) GAS on Site	opelow) Station
2 PVC Blank cash Casing help GROUT F Grout Plu What is it 1 Septi 2 Sewe 3 Wate 4 Later 5 Cess brection from	and demeter  Shift above or be  PLUG MATERIA  Ing Intervals From the negrest sound to tank or lines all lines all lines are pool to well?	ow land a  L: i Ne m O  od of poss	6 Asbesti in. Was casin surface sat cament 2 ft. to   Substitution	os-Cement & g pulled? Yes in.  Cement grout  20 ft, From on:  PLUGGING M	3 Bommete X P P P P P P P P P P P P P P P P P P	Tile No If yea, how entonite 4 Ot ft. to  I storage pitzer storage pitcleds storage ndoned water well well/ Gas well y feet?	her	ner (epecify) GAS ON SIFE  RECEI  JAN 08	pelow) Startion VED 2009 F WATER
2 PVC Blank cash Casing held GROUT F Grout Play What is it 1 Septi 2 Sewe 3 Wate 4 Later 5 Cess Prection from	g diemeter  ght above or be  PLUG MATERIA  ig intervals Fro  be nearest sound  ic tank  or lines  intight sewer line  at lines  i Pool  n well?  TO CO  ZO  RACTOR'S OF	ow land a Li Ne m O co of poss	6 Asbesti in. Was casin surface sat carnent 2 ft. to   ft. to   subsequent 6 Seepage pit 7 Pit privy 8 Sewage legor 9 Feedyard 10 Livestook per	os-Cement & g pulled? Yes in.  Cement grout   20 ft. From on:  PLUGGING M	3 Bommete Science Scie	Tile No If yes, how entonite 4 Ot ft. to  storage plizer storage cticids storage ndoned water well well Gas well y feet?	her	received and was knowledge	rt. to  Station  Station  VED  2009  F WATER  completed and belief. Kane
2 PVC Blank cash Casing held GROUT F Grout Plu What is it 1 Septi 2 Sewe 3 Wate 4 Later 5 Cess Prection from FROM CONT on (m	g diemeter  ght above or be  PLUG MATERIA  ig intervals Fro  be nearest sound  ic tank  or lines  intight sewer line  at lines  i Pool  n well?  TO CO  ZO  RACTOR'S OF	ow land s  ow land s  in Ne  or Open of poss  LANDO  LANDO  All  All  All  All  All  All  All  A	6 Asbesti  Nurse casin  Rurface  Sat carnent 2  ft. to   Subsection in the contamination  6 Seepage pit  7 Pit privy  8 Sewage legon  9 Feedyard  10 Livestook per  RUNEP'S CERT  6 Conse No. 5	os-Cement & g pulled? Yes in.  Cement grout  20 ft. From on:  PLUGGING M	3 Bommeter of the second of th	Tile No If yes, how entonite 4 Ot ft. to  storage plizer storage cticids storage ndoned water well well Gas well y feet?	her  ft. From  16 Oil  Cold  or my jurisdictive best of my ell Record was	RECE!  JAN 08  REAU 0  on and was knowledge as complete	ved  2009  Completed and belief. Kane