_			W	ATER WELL REC	ORD For	m WWC-5	KSA 82a-12	212	(0	wrec to	cd
1 LOCATI	ON OF WAT	ER WELL:	Fraction		49"		ion Number	Township Nur	nber	Range Number	r
County:	Sec	lgwick	SE 1	4 SE 1/2	<u>SE</u>	1/4	17	⊤ <b>26</b>	S	R 1	E
Distance ar	nd direction fro	om nearest	town or city street	address of well is 66 5403 No	f located w	ithin city?	shita Kane	26			
2 14/4750	NA/ELL OVA/NI	ED: Lew	is Williams J		Tui bioa	uway, wit	ilita, Italis	045			
ZJVVATER	droce Boy#	154	90 13 <sup>th</sup> Street	•				Board of Agricul	ture Division	of Water Resou	irces
City State	7ID Code	Peri	v. Ks					Application Num		0. 77410. 710004	
LOCATE	E WELL'S LO	CATON W	THILL			20					
AN "X" I	N SECTION I	BOX:						ATION:			
			Depth(s) Grou	indwater Encoun	itered 11.5			2	н. з		Ft.   =
	N							urface measured on			
1		!	1	imp test data:				after			1.0
-	NW	NE		Gpm: \				. after ft. and			
₩ M =	į	į	WELL WATER	R TO BE USED A	AS: 5 Pu	blic water si	apply	8 Air conditionii 9 Dewatering	ng 11 Inj	ection well	··'`\  <u>f</u>
~ VV			i i								ow)
-	sw	SE						) 10 Monitoring v			
	i	i x	Was a chemic	al/bacteriologica	l sample si	ubmitted to (		Yes No X		• • •	/as
† L	<u> </u>		Submitted					er Well Disinfected			
	F BLANK SA			5 Wrough			ete tile			Clamped	
1 Ste			MP (SR)			9 Other	(specify below	<sup>')</sup>	Welded	1	
2 PV	/C	4 AB	S	7 Fibergla Ft.,	SS				Threaded	] X	
Blank casin	g diameter	2	in. to	<b>27</b> Dia		ln. t	0	ft., Dia	in. to	5	ft.
Casing heig	ght above land	surface	FLUSH	In., weight	SC	CH 40	Lbs./ft.	Wall thickness or g	auge No.		
TYPE OF S	CREEN OR	PERFORA	TION MATERIAL:					10 Asbes			
1 Ste	•		inless steel	5 Fibergla				11 Other			
2 Bra			Ivanized steel NINGS ARE:	6 Concret		9 d wrapped	ABS	12 None i 8 Saw cut		не) None (open hol	e)
	intinuous slot		3 Mill slot		6 Wire w			9 Drilled holes		rione (open non	,
	uvered shutte		4 Key punched		7 Torch			10 Other (specify	)		
SCREEN-P	ERFORATED	INTERVA	LS: From	<b>27</b> ft	. to	29	ft. Fi	om	ft. to		ft.
			From				ft. Fr		ft. to		Ft. ]
SAI	ND PACK INT	TERVALS:	From	<b>25</b> ft	. to	29	ft. Fr	om	ft. to		Ft.
			From	ft	. to		ft. Fr		ft. to		Ft.
6 GROUT	MATERIAL:	1 Ne	at cement	2 Cement grou	t	3 Ben	tonite	4 Other			
Grout Interv	vals From3	0	ft. to 23	Ft. From2	23	Ft.	25	ft. From	ft	. to	ft.
			le contamination:							ned water well	
1 Se	ptic tank		4 Lateral line	es 7	Pit privy		11 Fuels	torage	15 Oil well/	Gas well	
2 Sewer lines 5 Cess pool				8	Sewage I	agoon	12 Fertiliz	er storage	16 Other (s	pecify below)	
	atertight sewe	r lines	6 Seepage p	oit 9	Feedyard		13 Insecti	cide storage	Contai	minated Sit	e į
Direction fro				0.000.00		T ====	How many f				
FROM	TO	CODE		OLOGIC LOG		FROM	ТО	PLUG	GING INTER	VALS	
7	7 15		Top Soil Sand, fine								[
15	29		Sand, Mediur	n to coarse						Naratra State	
29	TD		End of Boreh								
							-				
		+									$\overline{}$
					*********						
7 CONTRA	ACTOR'S OR	LANDOW			er well was	(x) construc	ted. (2) recon	structed, or (3) plug	ged under my	y jurisdiction and	d w
	on (mo/day/yr			/28/09		And th	s record is tru	e to the best of my	knowledge ar	nd belief. Kansa	as
	Contractor's L			585				ord was completed			19
under the bu	usiness name	of	ASSOCI	ated Environ	nmenta	, Inc.	By Donortmont	(signature) <b>Brace</b> of Health and Environ	iley J. Jol	inson	
Kansas	66620-0001.	Telephone:	913-296-5545. Sen	d one to WATER \	WELL OWN	ER and retair	one for your r	ecords '	LOCK .	// //	
								D.	in the second	Johnson	
									0//		