1 LOCATION OF WATER WELL:				Fraction				ction Number	Town	Township Number			Range Number		
				1/4	NW ½			35	Т	26	s	R	1	E	
			lown or city str			f located w	ithin city?								
			of EW-01 -		ta										
			h-Glitsch,		_										
			E. 37 th St.		h				Board	of Agricu	lture, Div	ision of W	ater Reso	urces	
City, State, 2	ZIP Code	Wich	nita, KS 67	7220					Applica	ation Nun	nber:				
3 LOCATE	WELL'S LOC N SECTION B	CATON WIT	TH 4 DEDTE	1 OE CC	MPLETED 1	M/ELI	1	8 4 515	VATIONI						
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	i	7					<u>-</u>	ft. ELE	VATION.		· · · · · · · ·				
		į	Deptit(s)	TATIO	MATER LEV	ileieu i		0 f	l. Z		π.	,		π.	
	NW	- NE	WELLSS	IAIIC	WATER LEV	EL	T	t. below land	surface mea	asured or	n mo/day/	'yr 			
W Mile			_	Pump	test data:	Well water	was	· · · · · · · · · · · · · · · · · · ·	ft. after		hours p	oumping		gpm	
- W -	X		Est. Yield		gpm: '	Well water	was		ft. after		hours p	oumping		gpm	
	, , , , , , , , , , , , , , , , , , ,		Bore Hole	Diamete	er 12	in. to	2	<u>.</u> 1	ft. and	<i>(</i>	ir	n. to	25	ft.	
	SW	. SE	I					supply							
↓ L					3 Feed lot			r supply							
	S		2 Irri	gation	4 Industria	al /La	wn and ga	rden (domest	ic) 10 Mc	onitoring v	well	Extrac	tion vv	eli	
			1	mical/b	acteriologica	i sample si	ubmitted to	Department?						was	
.			submitted						ater Well Di				No X		
	F BLANK CAS				5 Wrough		8 Cond		CASIN	IG JOIN	ΓS: Glue	d	Clamped	١	
	el	_			6 Asbesto	s-Cement	9 Othe	r (specify bek	ow)		Weld	ied			
2 PV	<u>c</u>	4 ABS	S		7 Fibergla	iss		-			Threa	ded	Flush	1	
Blank casing	g diameter	4	in. to	8	ft., Dia	4	in. fro	om 18-20	ft., Dia					ft.	
Casing heigi	ht above land	surface	Stick-u) i	n., weight	0	.703	lbs./ft.	Wall thick				CH. 40		
			ION MATERIA			·	7	PVC			tos-ceme				
1 Ste	el	3 Sta	inless steel		5 Fibergla	ISS		RMP (SR)					· • • • • • • • • • • • • • • • • • • •		
2 Bra	SS	4 Gal	vanized steel		6 Concret		9	ABS			used (op				
	R PERFORAT					5 Gauze	d wrapped					11 None	e (open h	ole)	
	ntinuous slot		3 Mill slot			6 Wire w			9 Drille	d holes					
	vered shutter		4 Key punch			7 Torch			10 Othe	r (specif	y)				
SCREEN-PI	ERFORATED	INTERVAL						ft.	From	8*	ft. 1	to	18*	ft.	
			From		fi	t. to		ft.	From		ft. 1	to		ft.	
GRA	AVEL PACK II	NTERVALS	S: From		7 ft	t. to	21	ft.	From		ft. 1	to		ft.	
			From			t. to		ft.	From		ft.			ft.	
6 GROUT	MATERIAL:	1 Ne	at cement	2	Cement grou	ıt	3 Be	entonite	4 Other			_			
			ft. to) ff	From		ft to		ft	
	nearest source	e of possib	le contaminati	on:					stock pens						
	otic tank	,	4 Lateral		7	Pit privy		11 Fuel				well/ Gas			
2 Sev	wer lines		5 Cess p	ool	8	Sewage	lagoon		lizer storage	Э		her (speci			
	tertight sewer	lines	6 Seepa			Feedyard	-		cticide stora			(26-0	, ==.0,		
Direction fro	_			-		•		How many		-					
FROM	TO	CODE			OGIC LOG		FROM			PLU	GGING II	NTERVAL	S		
0.0	8.5		Clay, dark g												
8.5	9.0		Sand, brow			tle clay									
9.0	9.8		Clay, little s						*4"						
0.0	17.0		Sand, fine t			d, little			*1" cas	ing att	ached	to outs	ide of	4"	
9.8 17.0	17.5		clay, saturate Shale, very				-		casing						
17.0	17.0		Shale, very Shale, gree			· · ·	+								
17.5	22.0		weathered	yıay,	vucialei	,									
			Shale, gree	n grav.	very dry. o	ypsum	<u> </u>								
22.0	25.0	1 1.	ens	gJ,	,,, ;	,, r w									
												v			
7 CONTRA	ACTOR'S OR	LANDOW	NER'S CERTIF	ICATIO	N: This wat	er well was	(1) constru	ucted, (2) rec	onstructed,	or (3) plug	gged und	er my juris	diction an	d was	
	on (mo/day/yr)			04/07				this record is							
					531			Water Well R							
	usiness name		Geotec	hnic	al Service	es Inc		oy (signature)							
INSTR	UCTIONS: Ple	ase fill in bla	anks and circle t	he corre	ct answers. S	end three c	opies to Kar	nsas Departme	nt of Health	and Enviro	onment, B	ureau of W	ater. 1000	sw	
Jacksoi	n St., Ste. 420,	Topeka, Ka	nsas 66612-136	7. Tele	ohone: 913-2	96-5545. Se	end one to V	VATER WELL	OWNER and	retain on	e for your	records.	,	- • •	