WATER WELL RECORD AS-	6 Form WWC-5	Division of Water	Resources App. No	o	
1 LOCATION OF WATER WELL:	Fraction		Township No.	Range Number	
County: Sedgwick	1/4 SW 1/4 SW 1/4 NW 1/4		T 26 S	R / <b>Z</b> E   W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					
	Longitude: 97.37165 (in decimal degrees)				
1120 South Meridian Ave, Valley Center, KS		Elevation: unknown			
A WATER WELL OWNER.		<u>Datum</u> : <b>☑</b> WGS 84, □ NAD 83, □ NAD 27			
2 WATER WELL OWNER: BP Amoco RR#, Street Address, Box #: Box 15748		Collection Method:  ☐ GPS unit (Make/Model: Garmin Geko 201 )			
RR#, Street Address, Box #: Box 15748 City, State, ZIP Code : Shawnee Mission, KS 66285		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Snawr	lee Mission, NS 66265	Est. Accuracy:  <3	m, 3-5 m, <b>Z</b>	5-15 m, □ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 39.5 ft.					
WITH AN "X" IN 4 DEPTH OF SECTION BOX: Depth(s) Groun	adwater Encountered (1) 14.5	π.	<b>A</b> (	3) #	
N WELL'S STA	[				
Pum	Pump test data: Well water wasft. after hours pumping gpm				
EST. YIELDgpm. Well water wasft. after hours pumping					
W           E   Bore Hole Diameter 1.42in. to .38.3ft., andin. toin. toft.					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
SW   SE					
Was a chemical/bacteriological sample submitted to Department?  Yes  No					
S If yes, mo/day/yr sample was submitted					
Water well disinfected? ☐ Yes ☑ No					
5 TYPE OF CASING USED: V Steel PVC Other					
CASING JOINTS:  Glued  Clamped  Welded  Threaded					
Casing diameter .1					
		lbs./ft., Wall thick	ness or gauge N	oV(33./39.11.49	
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot       ☐ Mill slot       ☐ Gauze wrapped       ☐ Torch cut       ☐ Drilled holes       ☐ None (open hole)         ☐ Louvered shutter       ☐ Key punched       ☑ Wire wrapped       ☐ Saw cut       ☐ Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From					
From					
Grout Intervals: From 4 ft. to ft., From ft., From ft., From ft. to ft.					
What is the nearest source of possible contamination:					
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well					
Direction from well unknown Distance from well unknown					
FROM TO LITHOLO				GGING INTERVALS	
0 7 Dark olive brown clay	and silt				
7 11 Grayish brown wilt wit	th clay				
11 39.5 Sand				· · · · · · · · · · · · · · · · · · ·	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   constructed, □ reconstructed, or □ plugged					
under my jurisdiction and was completed on (mo/day/year) .6/12/09					
under the business name of Thiele Geo	tech, Inc.	by (signature)	(mo/day year		
under the business name ofThiele Geotech, Inc					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 42 Topeka, Kansas 66612-1367.  Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212		Check: Whit	te Copy, 🔲 Bl	ue Copy, Pink Copy	

