WATER WEL	L RECORD A5~	10 Form W	WC-5	Division of Wate	r Resources App. No	o	
1 LOCATION (OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
County: Sedg		1/4 SW 1/4 SW		6	T 26 S	R / Z E □W	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here				Latitude: .37.817833			
1120 South Meridian Ave, Valley Center, KS				Elevation: Unknown			
A W. TOD WILL OWARD				<u>Datum</u> : ☑ WGS 84, □ NAD 83, □ NAD 27			
2 WATER WELL OWNER: BP Amoco				Collection Method:			
RR#, Street Address, Box #: Box 15748 City, State, ZIP Code : Shawnee Mission KS 66285				☐ GPS unit (Make/Model: Garmin Geko 201 Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Shawnee Mission, KS 66285				Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m			
3 LOCATE WEL	L		- 20 5				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 39.5 ft. SECTION BOX: Depth(s) Groundwater Encountered (1).15 ft. (2) ft. (3)							
SECTION BOX	(*)····································						
	Pump test data: Well water was						
EST. YIELDgpm. Well water was							
W W W W W W W W W W						ft.	
The supply of th							
SW SE	SW SE Domestic Feedlot Dil field water supply Dewatering Dother (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well air sparge point Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? ☐ Yes ☑ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .1 in. to .37 ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface. 9							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other							
Grout Intervals: From 4 ft. to35 ft., From							
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
	t sewer lines		Fertilizer st				
	well unknown					CONC DITERVAL	
FROM TO 8.5	LITHOLOG		FROM	TO LITHO. LO	or PLU	GGING INTERVALS	
	Dark grayish brown cla Gray clay and silt	y with Silt					
	Very fine sand						
	Grayish brown silt with	sand					
	Sand						
	Dark gray silt and very	fine sand	<u> </u>			r.v.	
35 39.5	Sand	· · · · · · · · · · · · · · · · · · ·	<u> </u>				
	T-18-4*					- 10000	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .6/11/09 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 616 This Water Well Record was completed on (mo/day year) 8/17/09							
under the business name of . Thiele Geotech, Inc							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct (swers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 424, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212				Check: 🔼 Wh	nite Copy, 📙 Blu	ie Copy, 🔲 Pink Copy	

