WATER	R WEI	LL RECORD A5-12 Form WWC-5	Division of Water Resources App. No.
		OF WATER WELL: Fraction	Section Number Township No. Range Number
	ty: Sed		
		Address of Well Location; if unknown, distance & direction	Global Positioning System (GPS) information:
		own or intersection: If at owner's address, check here	Latitude: .37.817.82 (in decimal degrees) Longitude: 97.37.158 (in decimal degrees)
1120	) South	Meridian Ave, Valley Center, KS	Elevation: unknown
			<u>Datum</u> : <b>☑</b> WGS 84, □ NAD 83, □ NAD 27
		ELL OWNER: BP Amoco Address, Box #: Box 15748	Collection Method:
		TD C 1	☐ GPS unit (Make/Model: Garmin Geko 201 Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
City,	State, 2	Shawnee Mission, KS 66285	Est. Accuracy: $\square$ <3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ >15 m
3 LOCATE WELL 20.5			
	I AN "X		
SECT	ION BO N	WELL'S STATIC WATER LEVEL UNKNOWN	ft. (2) ft. (3) ft. t. below land surface measured on mo/day/yr
	· · · · · · · · · · · · · · · · · · ·		ft. after hours pumping gpm
	/ N	EST VIELD ann Well weter was	ft. after hours pumping gpm
w X	/   N	E Bore Hole Diameter 7.25in. to .39.5.	.ft., andft.
<del> ^  </del>		WELL WATER TO BE USED AS: ☐ Public w	
sw	s		ter supply Dewatering Other (Specify below)
		☐ Irrigation ☐ Industrial ☐ Domestic-later ☐ Domestic-later ☐ Was a chemical/bacteriological sample submitted	awn & garden  Monitoring well air sparge point
	S	If yes, mo/day/yr sample was submitted	
	1 mile		
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS:  Glued  Clamped  Welded  Threaded			
Casing diameter .1			
Casing height above land surface. 0			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)			
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
☐ Louvered shutter ☐ Key punched ☑ Wire wrapped ☐ Saw cut ☐ Other (specify)			
From			
GRAVEL PACK INTERVALS: From35			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other			
Grout Intervals: From 4 ft. to .35 ft., From			
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)			
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well			
Direction from well .unknown Distance from well .unknown			
FROM	TO	LITHOLOGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
5	5 6.5	Light olive brown clay and sand Silt	
6.5	7.5	Black, organic silt and sand	
7.5	10	Gray clay, some silt and sand	
10	11.5	Dark grayish brown sand	
11.5	12.5	Dark gray silt with sand	
12.5	39.5	Sand	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .6/15/09 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 616 This Water Well Record was completed on (mo/day year) 8/17/09			
under the business name of Thiele Geotech, Inc. by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct asswers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 424, opeka, Kansas 66612-1367.			
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			

