WATER WELL RECORD			Fori	n WWC-5	5 Divi	,						
1 LOCATION				NIX	SE S	Section N	lumber	Townsh	ip Number	Range Number	r	
County:	Sedgy	m nearest town	or city stre	NW ¼	SE 1/4	Johal Po	citioning	T System	26 S	R 1	E	
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits) located within city?  Global Positioning System (decimal degrees, min. of 4 digits)  Latitude: N 37.74343°												
3300 N. Arkansas, Wichita, KS  Longitude: W 97.34474 °											-	
2 WATER WELL OWNER: Gas Station (KDHE T&M)						Elevation: RIM: 1317.78; TOC: 1317.35						
RR#, St. Address, Box # : 1000 SW Jackson, Ste 410 City, State, ZIP Code : Topeka, KS 66612-1367						Datum: above mean sea level						
A VOCUMENTAL CONTRACTOR OF CONTRACTOR DISTRICT												
LOCATON A DEPTH OF COMPLETED WELL 21 ft.												
WITH AN "X	" IN	Depth(s) Group	dwater En	countered 1			£ 2		A 2		Ω	
SECTION BO	Y.	WELL'S STAT	TO WATE	DIEVEI	12 39 A	halow le	and confo		II. 3	day/ym 0/19/00	π.	
SECTION BO	JA.	WELL'S STATIC WATER LEVEL 12.38 ft. below land surface measured on mo/day/yr 8/18/09  Pump test data: Well water was ft. after hours pumping gr										
	Est. Yield gpm: Well water was ft. after hours pumping gp										III	
Est. Yield gpm: Well water was ft. after hours pumping gpr  NW NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well											m	
											17)	
W   E   1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well											<i>~</i> )	
SW SE												
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs												
Sample was submitted Water Well Disinfected? Yes No												
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped												
1 Steel	SHIG (	MD (SD) 6	A chestos (	Camant	0 Other (c	e ille pooify b	closs)	ING JOIL	VIS: Glued	Clamped		
2 PVC	3 K	ABS 7	Fiberglass	Ciliciit	9 Other (S	pecity of	elow)		Thron	ed		
Plank assing dian	4 A	.D3 / .	11	A Dia		. to		Dia	I firea	to A	<u>.</u>	
② PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 11 ft., Dia in. to ft., Dia in. to ft.												
Casing height below land surface 0.43 ft., Weight lbs./ft. Wall thickness or gauge No.												
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
ISCREEN OR PERFORATION OPENINGS ARE:												
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)												
SCREEN-PERFORATED INTERVALS: From 11 ft. to 21 ft. From ft. to											ft.	
	ft. to		ft. Fro	om	ft. t	0	ft.					
From ft. to ft. From ft. to  GRAVEL PACK INTERVALS: From 9 ft. to 21 ft. From ft. to										.0	ft.	
			From		ft. to		ft. Fr	om	ft. t	:o1	ft.	
6 CPOUT MA	FFDIA	I · 1 Neat cem										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Ber Grout Intervals From 2 ft. to 9 ft. From							T) Outer	From		ft to ft		
What is the neares	t source	e of possible con	tamination					110111		. 10. 00		
1 Septic tank		4 Lateral lin			10 Livesto	k pens	13 Inse	ecticide S	torage	16 Other (specif	fv	
2 Sewer lines		5 Cess pool							water well	below)	-,	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well												
Direction from we	ell? so	uth southeast			How many	feet? ~	50ft					
FROM TO		LITHOL	OGIC LO	G	FROM	TO		PLUG	GING INT	ERVALS		
0 0.5	Gra	ass, topsoil			12	15	Sand,			n, immature		
0.5 1.0		idy clay, brown,	, fine to m	edium			mica				_	
		ined, low plastic			15	21	Sand,	medium	to coarse gi	rained, tan, wet		
1.0 5.5		dy clay, tan, fin		, low								
5.5		sticity, slightly r		huarra								
5.5 8	moi	y clay, little cali	cne, ngm	Drown,			-					
8 10		id, very fine gra	ined, tan				<del></del>					
10 12		d, very fine gra		little clay.			Flushn	nount wa	iver from I	3OW		
iron staining, moist												
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged												
under my jurisdiction and was completed on (mo/day/year)  Kansas Water Well Contractor's License No.  757  This Water Well Record was completed on (mo/day/year) 10/7/09												
under the business name of Larsen & Associates, Inc. by (signature)												
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3522. Send one to WATER WELL OWNER and retain one for												
your records. Fee of S	5.00 for e	ach constructed well	. Visit us at	http://www.kdh	eks.gov/water	well.		<u> </u>				