WATER WELL RECORD			Form WWC-5			Division of Water Resources; App. No.				
1 LOCATIO	ON OF W	ATER WELL:	Fraction	XXI C	TE	Section N	umber	Township Number	Range Number	
County: Sedgwick NW ½ NW ½ SE ½  Distance and direction from nearest town or city street address of well if  Global Positioning System (decimal degrees, min. of 4 degrees)									R I E	
3300 N. Arkansas, Wichita, KS Longitude: W 97.34435 °										
2 WATER WELL OWNER: Gas Station (KDHE T&M)							Elevation: RIM: 1317.84; TOC: 1317.56			
RR#, St. Address, Box # : 1000 SW Jackson, Ste 410					Datum: above mean sea level					
RR#, St. Address, Box # : 1000 SW Jackson, Ste 410 Datum: above mean sea level City, State, ZIP Code : Topeka, KS 66612-1367 Data Collection Method: legal survey										
2 EOCATE WEEL 5 4 DETTH OF COM LETED WEEL 16.5										
LOCATO						MW6				
WITH AN		Depth(s) Groun	idwater Encoun	itered l			_ft. 2_	ft. 3	ft.	
SECTION										
	N   Pump test data: Well water was ft. after hours pumping gpm									
	Est. Yield gpm: Well water was ft. after hours pumping gpm									
NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									ijection well	
W   E   1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well										
├── SW <del>-                                  </del>										
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs									
S										
S Sample was submitted Water Well Disinfected? Yes No X  5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Steel	2	PMP(SP) 6	Ashestos-Cem	ent O	Other (	enecify he	Jow)		a Clamped	
2 BVC	1	ADS 7	Fibergless	ciit 9	Outer (:	specify be	iow)	· Three	u lad <b>v</b>	
Plank assing	diamatan	ADS /	Procigiass	)io	:		<u>-</u>	Dia :	<b>X</b>	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded X  Blank casing diameter 2 in. to 8.5 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.28 ft., Weight lbs./ft. Wall thickness or gauge No.  TYPE OF SCREEN OR PERFORATION MATERIAL:										
Casing neight below land surface 0.25 it., Weight ibs./ft. Wall thickness or gauge No.										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 0 ARS 11 Other (specific)										
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanzed steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
INCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
SCREEN-PEI	RFORATE	ED INTERVALS:	From	8.5	t. to	18.5	ft. Fro	om ft. to	o ft.	
From ft. to ft. From ft. to  GRAVEL PACK INTERVALS: From 6.5 ft. to 18.5 ft. From ft. to								ft.		
GRAV	EL PACK	INTERVALS:	From	<b>6.5</b> f	ft. to	<b>18.5</b>	ft. Fro	om ft. to	ft.	
From ft. to ft. From ft. to ft									ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-2										
Grout Intervals From 2 ft. to 6.5 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination:										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify										
2 Sewer l								indoned water well	below)	
2 Sewer lines 5 Cess pool 8 Sewage lagoon (11) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well										
Direction from	_		3			feet? ~7		3		
FROM	TO	LITHOL	OGIC LOG		FROM	TO		PLUGGING INTE	DVALC	
		rass, topsoil	LOGIC LOG		15	20	Sand r	nedium to coarse gr		
		nd, medium to c	oarse grained	brown	13	20	wet	neutum to coarse gr	aineu, brown,	
0.5		tle fine gravel, tr				<del> </del>	11101			
2.5		ndy clay, fine gr								
		own, slightly mo								
11	14 Sa	ndy clay, fine gr	ained, modera	te						
		asticity, brown, s								
14		ayey sand, medi	um grained, gr	ay						
	br	own, wet					Flushm	nount waiver from B	OW	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) 8/17/09 and this record is true to the best of my knowledge and belief.										
Kansas Water V	nction and \ Vell Contro	was completed on (t ctor's License No	757	This Water	· Well Re	_ and this	confoleted	on mo/day/year) 1	0/7/09	
under the busin	ess name of	Larsen & Asso	ciates. Inc.		y (signati		or protoco	(morous)		
							nartment	Mealth and Environment	Bureau of Water	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send and to WATER WELL OWNER and retain one for										
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										