WATER WELL RECORD NE	NE NW NW Form W	/WC-5	Division of V	Vater Resources App. No	EAST	
1 LOCATIONOF WATER WELL County: Longweight	Eraction	04 1/4 1/4	Section Number	T Z6 S	Range Number R	
Street/Rural Address of Well Locati	on if unknown distance	& direction	Global Position	ning System (GPS) in		
from nearest town or intersection: I					(in decimal degrees)	
			Longitude: (in decimal degrees)			
2103 Dreftwood			Elevation:			
			Datum: WG	S 84, 🔲 NAD 83, 🔲	NAD 27	
2 WATER WELL OWNER:	Bret, LL		Collection Metho			
RR#, Street Address, Box #: City, State, ZIP Code:			GPS unit (Make/Model:)			
City, State, ZIP Code :	1 C3 Miller	677 -11		p/Photo, 🔲 Topographic		
<u>u</u>	reliet Na	67204] <3 m,	5-15 m, □>15 m	
3 LOCATE WELL		3	سی ۳	_		
WITH AN "X" IN 4 DEPTH	OF COMPLETED WEI			. ft.		
SECTION BOX: Depth(s) Gr	oundwater Encountered	(1)(1)	ft. (2)	ft. (i	3) ft.	
	WELL 5 STATIC WATER LEVEL					
	Pump test data: Well water wasft. after hours pumping gpm					
_{NW} _{NE} EST. YIELI	Ogpm. Well wat	er was	ft. after	hours pum	ping gpm	
W Bore Hole I	E Bore Hole Diameter					
	WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well					
Domestic Deedlot Doil field water supply Dewatering Dother (Specify below)						
SW SE - Domestic Tecdiot On held water supply Dewatering Other (Specify below)						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
Water well disinfected? Yes No						
Water went						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter						
Casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATI	ON MATERIAL:					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
Brass Galvanized Steel	☐ None used (open	hole)				
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut 5 Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.						
SCREEN-PERFORATED INTERVALS: From						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From	ft. to ft., From	m	ft. to	ft., From	. ft. toft.	
What is the nearest source of possible contamination:						
	al lines	☐ Livestock	pens 🔲 Insecti	cide storage	er (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
■ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well						
Direction from well	<u>.</u>	Distance	from well 5	a		
FROM TO LITHO	LOGIC LQG	FROM	TO LITHO	. LOG (cont.) or PLU	GGING INTERVALS	
0 6 Jap -	Soul O	1				
6 17 Fin	to the					
17 35 cores	之文	1				
1/ 55						
		+ +				
		+				
				1.10		
		<u> </u>		· · · · · · · · · · · · · · · · · · ·		
		 				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, \square reconstructed, or \square plugged						
under my jurisdiction and was completed on (mg/day/year)						
under my jurisdiction and was completed on (mo/day/year)						
under the business name of	relas Pengo	of well	by (signature)	2 bue F	3-6	
INSTRUCTIONS: Use typewriter or hall noir	t pen. PLEASE PRESS FIRM	LY and PRINT cl	early. Please fill in b	lanks and check the correc	t answers. Send three copies	
I (white blue pink) to Kansas Department of H	ealth and Environment, Bureau	i of water, Geor	iogy section, todo sy	v Jackson St., Suite 420,	TOPCKA, Kalisas 00012-130/.	
Telephone 785-296-5522. Send one copy to	WATER WELL OWNER and	retain one for	your records. Includ	e fee of \$5.00 for each co	onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						