		WATER W	ELL RECO	RD F	orm WW	/C-5 K	SA 82a-12	212		
1 LOCATION OF WATER	WELL:	FRACTION	CTT!		- 1	ION NUMBER	1	IIP NUMBER	RANGE N	
Sedgwick		NE 1/4	SW 1/4	NW	1/4	31	T 2	26 s	R 1E	E/W
Distance and direction from a 2317 Manlo	nearest town or city s		ita, Kansas	ity?						
2 WATER WELL OW	VNER: MEN	NONITE HO								
RR#,ST. ADDRESS,B	Roard of Agriculture Division of Water Resour									
CITY, S	TATE: Wich	iita, Kansas			ZII	CODE:		Application Nun	nber:	
3 LOCATE WELL'S LOC		DEPTH OF COMP	LETED WELL:	45	ft.		ELEVATION:	,		
WITH AN "X" IN SECTI		oth of groundwater	r Encountered:		ft.			ft.		ft.
	WE	ELL'S STATIC WA	ATER LEVEL	15	FT. BELO	W LAND SU	IRFACE MEAS	SURED ON mo/o	lay/yr: 8/20	/10
	-NE		mp test data:	Well water			ft. after		of pumping @	gpm
w Wile		Est. Yield:	gpm - 12 i	Well wate	erwas to 4	<b>.</b> .	ft. after		of pumping @	gpm
± M		ore Hole Diameter ELL WATER TO B	•	ii.	10 4	<b>5</b> ft.	and	in.	to 11 Injed	ft. ction well
sw				Public wate	er supply '	7. Lawn a	nd garden on	9. Dewateri	9	pecify below)
	2	. Irrigation 4.	Industrial 6.	Oil field wa	ter supply	8. Air con	ditioning	10. Monitorir	ng well	
S		/as a chemical/bacter bmitted	riological sample s	ubmitted to De	epartment?	YES Was V	NO Vater Well Disi		what mo/day/yr v	vas sampie NO
5 TYPE OF CASIN				F**L I	9 01	her (Specify		SING JOINTS: (	Glued	Threaded
1. Steel	3. RPM (SR	•		Fiberglass	cni		Delow) Or	01110 0011110.	Welded	Clamped
2. PVC	4. ABS	6. Asbestos		Concrete tile	301	X-20				·
Blank casing diameter	5	in. to	25 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height above la	and surface:	12 <sub>in.,</sub>	W	Veight: 2	2.35 lb	s. / ft.	Wall	hickness or gauç	ge No214	
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)  2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)										
			110 0.1	(iii (Oit)	10. 7	3003103-001	12.1	ione asea (open	noic)	
SCREEN OR PERFOR  1. Continuous slot	3. <b>Mill sk</b>		Gauzed wrappe	ed	7. <b>T</b> oi	rch cut	9. <b>Dr</b> i	illed holes	11. None ( c	pen hole)
2. Louvered shutter			Wire wrapped		(8. Sa)			her (specify)	( )	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	4. Key pu							ilei (Specity)		
SCREEN - PERFORATI	ION INTERVAL	From	25 ft.	to	45	ft.,	From	ft.	to	ft.
		From	ft.	to	45	ft.,	From	ft.	to	ft.
GRAVEL PACE	K INTERVALS:	From	24 ft.	to	45	ft.,	From	ft.	to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT MATERIA	1. Neat		2. Cement G 24 ft			. Bentonite			onite hole plu	•
Grout Intervals: What is the nearest sou		entamination:	,	From	ft.	to	ft.,	From	ft. to	ft.
1. Septic tank 4. Lateral lines 7. Pit privy 10						vestock pens 13. Insecticide storage 15. Oil well/Gas well				
2. Sewer lines	5. Cess P	ool 8	. Sewage lagoo	on 1	1. Fuel stor	age	14. Aban	don water well	16. Other (sp	ecify below)
3. Watertight sewer	line 6. Seepag	gepit 9	. Feed yard	12	2. Fertilizer	storage		10	P41	
From To	West	ITHOLOGIC	2100		From	То	How n	nany feet? 10 f		
	opsoil	LITHOLOGIC	J LOG		FIUIII	10		LITHOLC	GIC LOG	<del></del>
<del></del>	clav					1				
	ine sand									
27 45 r	medium sand									
l										
					·					-
7 0		antina with		=				mlum	and a second section of	inn no 1
$\vdash$		cation: This water		onstructed		constructed			under my jurisdict	ion and
was completed on (m	no/day/year)	8/20/2010	and t	this record is	true to the	best of my	knowledge and	l belief.		
Kansas Water Well C	Contractor's Licens	se No. 236	Th	nis water wel	I record wa	s completed	on (mo/day/ye	ear) 8/23	/2010	
under the business name of Harp Well and Pump Service by (signature)  Todd S. Harb										