				WELL RECO	RD For			82a-1212				
	ION OF WATE			05	21147		ion Nu	mber	Township Nu		Range Number	
	Sed		NW 1/4		NW		33		T 26	S	R 1	E
Distance ar	na airection tro	m nearest t	own or city street add			tnin city? e, <b>Wichit</b> a	, KS					
	WELL OWNE											
RR#, St. Ad	ddress, Box#	: 3600	N. Santa Fe						Board of Agricu	ulture, Div	rision of Water Resourc	ces
			ita, KS 67219						Application Nu	mber:		
	E WELL'S LO		H 4 DEDTH OF 00	MOLETER	· · · · · ·	20	•	F1 F1 /A7	101			
-JAN X I	IN SECTION E	SOX:										
											3	۲t.
A	N										/yr <b>07/27/10</b>	
	1	-									pumpingG	
	'x - <del> </del>	NE	Est. Yield	Gpm: V	/ell water	was		Ft. a	fter	Hours	pumpingG	ρm
<u>ω</u>	- ^ I		Bore Hole Diamete	er <b>0.023</b>	In. to ຣິເຄີນັ້	blic water s	) unnly	ft.	and	ina 1	n. to 1 Injection well 2 Other (Specify below	Ft.
£ W <b>-</b>			1 Domestic	3 Feed lot	o. oru	field water	yppiy		9 Dewatering	11619 1	2 Other (Specify below	w)
	į	i	2 Irrigation	4 Industria	l 7 la	wn and gard	len (do	mestic)	10 Monitoring	well	GP3	
	sw	SE									, mo/day/yr sample wa	
₩			Submitted	acteriological	sample se	ioinitted to t	zepar u				No <b>X</b>	3
5 TVDE O	F BLANK SAS	SING LISED		5 Wrought	Iron	8 Conor	ata tila				ed Clamped	
1 St		3 RMI		6 Asbestos								
2 PV		4 ABS	` '			o Oulei	(Specii	y Delow)			ded eaded <b>X</b>	
2 PV	/C	4 Abs	•	7 Fiberglas Ft.,	55				<b>.</b>	11116	aded I	
Blank casin	ng diameter	2	in. to 25.5	Dia		ln. t	0	1	t., Dia		in. to	ft.
Casing heig	ght above land	surface	FLUSH I	n., weight	SC	CH 40	L	bs./ft. W	all thickness or	gauge No	).	
			ION MATERIAL:						10 Asbe			
1 Ste	eel	3 Stai	nless steel	5 Fiberglas	SS				11 Other			
2 Bra			vanized steel	6 Concrete	tile	9	ABS		12 None	used (op	en hole)	
SCREEN C	OR PERFORA			unemenonaturumanist [					8 Saw cut		11 None (open hole)	)
1 Co	ontinuous slot	;	3 Mill slot	(	Wire w	rapped			9 Drilled holes			
	uvered shutter		4 Key punched		7 Torch			1	0 Other (speci-	fy)		
SCREEN-F	PERFORATED	INTERVAL									to	
			From	ft.	to			ft.Fror	n	ft.	to	Ft.
SA	ND PACK INT	ERVALS:	From 2					ft. Fror	n	ft.	to	Ft.
			From		to	Town Control of the C		ft. Fror	n	ft.	to	Ft.
6 GROUT	MATERIAL:	1 Nea	at cement 2	Cement grout		3 Ben	tonite	4	Other			
Crout Inton	vala Fram?	n	ft. to <b>4</b>	Ft.	А	Ft. to		23.5	ft Franc		ft. to	£ı
			e contamination:	FIOIII3			10				andoned water well	π.
	ptic tank	e oi possibi	4 Lateral lines	7	Pit privy			Fuel stor	•		I well/ Gas well	
	wer lines			• •				Fertilizer	-	100000	***************************************	/
		· C	5 Cess pool		_	_			· ·	24	her (specify below)  ontaminated Site	_
Direction from	atertight sewer	lines	6 Seepage pit	9	Feedyard				de storage	C	miammated Site	,
		CODE	LITUOLO	2010100		FDOM		many fee		ICCINC I	NTTD /ALC	
FROM 0	0.5	CODE	Concrete	OGIC LOG		FROM	T	<del>-</del>	PLU	I DNIDD	NTERVALS	
0.5	5.5		Clay, dark brow	n		-	-					
5.5	7.5		Clay, medium b			<del> </del>	<del>- </del>					-
7.5	14		Sand, silt	· · ·			<del>                                     </del>					
14	21	5	Sand, medium g									
21	28	9	Sand, medium b	rown								
28	TD	E	nd of Borehole	)								
	<del> </del>					-	-					
THE RESERVE OF THE PARTY OF THE	+	-					+					
						1	-					
						1						
				······································		1	<del>                                     </del>					
7 CONTR	ACTOR'S OR	LANDOWN	IER'S CERTIFICATIO	N: This wate	r well was	(x) constru	cted, (2	2) recons	tructed, or (3) pl	ugged un	der my jurisdiction and	W
Completed	on (mo/day/yr	·)	07/27	/10		And th	is reco	ord is true	to the best of n	ny knowle	dge and belief. Kansa o/day/yr) 08/06/10	s
				585		This V	/ater W	Vell Reco	rd was complete	ed on (mo	o/day/yr) 08/06/1	0
under the b	usiness name	of	Associate	ed Enviro	าmenta	I, Inc.		By (:	signature) <b>Br</b> a	adley .	اول. ا	
INSTR	RUCTIONS:. Ple	ease fill in bla	anks and circle the corre	ct answers. Se	end three c	pies to Kans	as Dep	artment of	Health and Envir	emment, B	reau of Water, Topeka,	
Kansa	is 000∠U-UUU1.	relepnone:	913-296-5545. Send or	ie to WATER V	VELL OWN	ı⊏K and retai	n one to	or your rec	ords.	Zunel	By Johnson	<u>,                                     </u>