WATER WELL REC	CORD	Form W	/WC-5	Div	vision of Wate	r Resources App. No	o. L	
1 LOCATION OF WA		Fraction SW SW		1		Township No.		
County: Selius	uk.	8/12 1/4 34 1/4 WA	1/4 1/4	_			R XE □W	
Street/Rural Address of				System (GPS) in				
from nearest town or intersection: If at owner's address, check here				Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
				Elevat	Elevation:			
Wichita ks.				<u>Datum</u>	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: BILD FOR. RR#, Street Address, Box #:				Collection Method: GPS unit (Make/Model:)				
2 WATER WELL OWNER: BILD FOP. RR#, Street Address, Box #: City, State, ZIP Code : 2003, Timbunek Civile 3 LOCATE WELL					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
0.0,, 0.0.0, 0.0.0	Wich	itio, ks					5-15 m,	
3 LOCATE WELL	4 DEDTH OF	COMPLETED WEI	. 41		Δ.			
WITH AN "X" IN SECTION BOX:	· · · · · · · · · · · · · · · · · · ·							
N WELL'S STATIC WATER LEVEL. 20ft. below land surface measured on mo/day/yr. //-/0-/0.								
	Pump test data: Well water wasft. after hours pumping gpm							
EST. YIELD. Gpm. Well water was								
W Bore Hole Diameter in. to ft., and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic Feedlet Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No								
S If yes, mo/day/yr sample was submitted								
Water wen districted: (A. 165 140								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Muill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. 3./								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From One ft. to 4/ ft., From ft. to ft.								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Rentonite Other								
	_		m	π. το	π.,	From	. п. топ.	
What is the nearest source of possible contamination: Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well So								
FROM TO	LITHOLOG	FIC LOG	FROM	TO			GGING INTERVALS	
	doil							
3 17 Com	5	<u> </u>			· · · · · ·			
17 30 Coal	re Grave	<u>/</u>					<u> </u>	
30 41 Mes	JANd.							
					-			
			+					
			<u> </u>		- Ical			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.								
under my jurisdiction and was completed on (mo/day/year) 22.2.2.2.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.								
Kansas Water Well Contractor's License No. 740 This Water Well Record was completed on (mo/gay/year) //-23-10								
INSTRUCTIONS: Use typeu	riter or hall point be	n. <i>PLEASE PRES</i> IS FIRMI	LY and <i>PRINT</i> cle	early. Plea	ase fill in blank	s and check the b orrec	t answers. Send three copies	
(white, blue, pink) to Kansas I Telephone 785-296-5522. See	Department of Health	n and Environment, Bureau TER WELL OWNER and	of Water, Geole retain one for v	ogy Section	on, 1000 SW Jao ds. Include fee	ckson St., Suite 420, of \$5.00 for each c	торека, Kansas 66612-1367. constructed well. Visit us at	
http://www.kdheks.gov/waterw	ell/index.html.	. D.C. W. D.D.D. O WITH AND						
KSA 82a-1212	KSA 82a-1212							