	LOCATION OF WATER WELL:			Fraction				Section Number	Township Nu	Township Number		Range Number		
County:	Sedg	jwick	NE	14 N	E 1/4		1/4	8	T 26	S	R	1	Ε	
Distance and	direction from	n nearest	town or city stre	et address				>						
			aso Mercha					nany						
					9, 00	oleani	00111	Jany	Doord of Agricu	ultura Div	inian of Mata	r Dassur		
RR#, St. Address, Box # : 2 N. Nevada Ave. City, State, ZIP Code : Colorado Springs, CO 80903 Board of Agriculture, Division of Water Resource Application Number:														
Application Number: Colorado Springs, CO 60903 Application Number: Colorado Springs, CO 60903 Appli														
3 AN "X" IN	SECTION BO	OX:	4 DEPTH	OF COMP	LETED W	/ELL		30 ft. ELE	VATION:					
→			Depth(s) G	roundwater	Encounte	ered 1		20 ft	1. 2	ft.	3		ft.	
	WELL'S STATIC WATER LEVEL 15.69												7	
[:	: NE	1					•	ft. after				om i	
₩ ₩									ft. after					
÷ " [Х			9pm. W	in to	was	30	t and	riouis ;	o to	91	, i	
l	Bore Hole Diameter 8.25 in. to 30 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										·" f			
	SVV	, I	L.	nestic 3		6 Oil	field wa	ter sunnty	9 Dewatering	9 .	2 Other (Sr	pecify bel	low)	
→ ∟	i	į							ic) 10 Monitoring				1	
	S		1						Yes No X				20	
				IIICal/Dacte	nologicar .	sample su	Diffilled		ater Well Disinfected			o X	33	
E =\(\mu\) 0 5		INO LICE	submitted		14/22.22/24		0 0-							
	BLANK CAS				Wrought				CASING JOIN			amped _		
	el	¬ ³ RM	IP (SR)	6	Asbestos	-Cement	9 Ot	ner (specify belo	ow)	Wek				
2 PVC		4 AB			Fiberglas							Flush		
Blank casing	diameter	2	in. to	27.5	ft., Dia			in. to	ft., Dia		in. to		ft.	
Casing heigh	nt above land	surface	Flush	in., w	eight	0	.703	lbs./ft.	Wall thickness or g	gauge No	, SC	H. 40		
			TION MATERIA	L:				7 PVC	10 Asbe	stos-cem	ent			
1 Stee	el	3 Sta	ainless steel	5	Fiberglas	s		8 RMP (SR)	11 Other	r (specify))			
2 Bras			Ivanized steel		Concrete	tile		9 ABS	12 None	used (op	en hole)			
SCREEN OF	R PERFORAT		NINGS ARE:			Gauze			8 Saw cut		11 None (open hole	e)	
	ntinuous slot		3 Mill slot		6	Wire w	rapped		9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)														
SCREEN-PE	ERFORATED	INTERVA	LS: From	27.5	ft.	to	30	ft.	From	ft.	to		_ft.	
			From							ft.	to		_ft	
GR/	AVEL PACK I	NTERVAL			ft.	to	30	ft.	From					
			From			to			From		to		ft.	
6 GROUT	MATERIAL:	1 Ne	eat cement	2 Cem	nent grout			Bentonite	4 Other					
									5* ft. From		ft to		ft .	
1			ble contamination		t. From				stock pens	14 ΔΗ	bandoned wa	ter well	"	
	otic tank	e or possii	4 Lateral		7	Pit privy			etorane	15 O	il well/ Cae w	الم		
	ver lines			Cess pool 8 Sewage lagoon				12 Fertilizer storage 16 Other (specify below)						
1	tertight sewer	lines	•	Seepage pit 9 Feedyard					13 Insecticide storage					
Direction fro			o coopag	,o p	·			How man	-					
FROM	TO	CODE	LI	THOLOGIC	CLOG		FRC		1	NOT	ES			
			Lean Clay,			dark								
0	20	CL	brown											
			Sand, well g									_		
			medium grain	ed, some	black st	aining			* Borehole ca		to 13.5' l	ogs aft	:er	
20	30	SW	below 25'						augers were	pulled				
	,						 							
							-		GPS Coordin	atee.				
									Northing: 172		68			
							+		Easting: 1640					
							1						-	
7 CONTRA	ACTOR'S OR	LANDOW	NER'S CERTIF	ICATION:	This water	r well was	(1) con	structed (2) rec	onstructed, or (3) plu	ugged und	der my iurisdir	ction and	was	
\vdash				12/03/10					true to the best of n					
					, 31				Record was complete					
1			Genter	hnical S					. Ar /I	ea on wh	dayiyi)		···-	
INSTRI	usiness name	ease fill in b	lanks and circle t	he correct a	nswers. Se	end three co	opies to l	by (signature) Kansas Departme	ent of Health and Envi	ronmen F	Burean of Wate	er. 1000 S	w	
Jackso	n St., Ste. 420,	Topeka, K	ansas 66612-136	7. Telephor	ne: 913-29	6-5545. Se	end one t	O WATER WELL	OWNER and retain of	ne for you	r records.	, .000 0		