WATER WELL RECO	JKD	Form WWC-5		Division of Water Resources App. No.				
1 LOCATION OF WATER WELL: County: SEDGWICK		Fraction 1/4 SE 1/4 SE	1/4 SW 1/4	Section	tion Number Townshi		Range Number R 1 ☑E □W	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude:37.73.441.2 (in decimal degrees) Longitude:97301.841. (in decimal degrees)			
2100 E. 37TH ST. NORTH, WICHITA, KS 67219				Longitude:				
				Elevation:				
2 WATER WELL OWNER, CHEVEOU FLIC (FEW SALE)					<u>Datum</u> : ☑ WGS 84, □ NAD 83, □ NAD 27			
2 WATER WELL OWNER: CHEVRON EMC (BR1Y-RM. 3424				Collection Method:				
RR#, Street Address, Box #: 6111 BOLLINGER CA City, State, ZIP Code : SAN RAMON CA 945			IRD.	GPS unit (Make/Model:)				
City, State, ZIF Code	MON, CA 94583	☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☑ 5-15 m, ☐ >15 m						
2 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
N V	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
	Pump test data: Well water wasft. after hours pumpinggpm							
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm								
W Bore Hole Diameter 3.3.35 in. to						ft.		
WELL WATER TO BE USED AS:							njection well	
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
		bacteriological sample				Yes 🗹 No		
S		day/yr sample was sub						
mile \ \	Water well disin	fected? 🔲 Yes 🔽	No					
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft., From ft., From ft.								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) FIGURE - AMAD - FIGURE - AMAD - FIGURE - AMAD - FIGURE - AMAD - AM								
From ft to ft ft From ft To ft From								
From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage								
Sewer lines								
Watertight sewer lines Seepage pit Feedvard Fertilizer storage Oil well/gas well SECONDARY								
Direction from well4					l			
FROM TO	LITHOLOG		FROM	TO	LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
		STLT/GRAVEL	_					
1' 9' SILT		•	1					
9' la' CLIYE	Y SSLET		+3'	-2'			A.G. PROPECTOR	
12' 13.5' SAND	1 SILT				WELL !	COMPLETIE	√	
13.5' 14' SAND	•							
14' 22.5' SILT							7	
22.5' 24' WEATH	ERED SHA	LE						
						I JOB #1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)! A ?!								
Kansas Water Well Contractor's License No. 788 This Water Well Record was completed for (pgo/day/year)								
under the business name of ROBERTS ENV. DRILLING, INC. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								