WAIER WELL REC		FUIII W	WC-3			Resources App. No		
1 LOCATION OF WATER WELL: County: SEDGWICK		Fraction 1/4 SE 1/4 SE 1/4 SW 1/4		Section N		Township No. T 26 S	Range Number R 1	
	if unknown, distance & direction		Global Positioning System (GPS) information:					
from nearest town or intersection: If at owner's address, check here .					Latitude:37: 753372 (in decimal degrees) Longitude:			
2100 E. 37TH ST. NORTH, WICHITA, KS 67219					Longitude: 77.3090.30 (in decimal degrees)			
				Elevation: Datum: ☑ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: CHEVRON EMC (BR1Y-RM. 3424)				Collection Method:				
RR#, Street Address, Box #: 6111 BOLLINGER CANYON RD.			GPS unit (Make/Model:)					
City, State, ZIP Code : SAN RAMON, CA 94583			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					
3 LOCATE WELL								
WITH AN "X" IN								
SECTION BOX:	X: Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water wasft. after hours pumping							
EST. YIELDgpm. Well water wasft. afterhours pumpinggpi								
W E	ter 3.35 in. to 3.3ft., and							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well → .?								
Was a chemical/bacteriological sample submitted to Department? Yes Y No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft. ft.								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.								
From								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals: From								
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well SECONDARY								
Direction from well	LITHOLOG		FROM	from well .		ON-SITE S		
FROM TO O 4' Tops			FROM	TO I	JITO. LC	or (cont.) or PLU	GGING INTERVALS	
	74		<u> </u>	1			-	
	TY CLAY		+3'	-a' 4	1"x4"	X5 STEE	L ABOVE	
10' 20' CLA	YEY SECT				FROWD		STECTOR	
20' 22' SK	TY CLAY				COMPL	ETION		
			 					
							10	
					REX	JUB # 10	ತ ೧ <u>ತ</u> 8)	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)								
under the business name of ROBERTS ENV. DRILLING. INC. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and cleck the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								