WATER WELL RECORD		Form WWC-5			Division of Water Resources App. No.			
1 LOCATION OF WATER WELL: County: Sedawick NE		Fraction	ι) ¹ / ₄ ¹ / ₂		ion Number	Township No. T 26 S	Range Number R E W	
Street/Rural Address o				al Positioning	g System (GPS) i			
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees)			
F.					Longitude: (in decimal degrees)			
				Eleva	ation:			
L				Datur	<u>m</u> : WGS 8	4, □ NAD 83, □] NAD 27	
2 WATER WELL OWNER: Suscen Douglas					ction Method:			
RR#, Street Address, Box #: 2419 w Timbercreek Ct City, State, ZIP Code : Wichita, KS				· │	GPS unit (Make/Model:)			
City, State, ZIP Code	ita, KS			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL				ESt. F	Accuracy: <	-3 m, <u> </u>] 3-13 m, /13 m	
WITH AN "X" IN	4 DEPTH OF C	COMPLETED WEL	$_{L}$ 40)	ft			
SECTION BOX:							(3) ft.	
N								
Pump test data: Well water wasft. after hours pumping								
EST VIELD and Well water was					ft. after hours pumping gpm			
NW NE	eter 13 in to	in. toft., andin. toft.						
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection								
Demostic Describe Doil 5-14 mater annually Demostrating Dethom (Smoothy below							Other (Specify below)	
SWSE Domestic Feedlot On field water supply Dewatering Other (specify below)								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ★ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: A Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.								
SUREEN-PERFURATED INTERVALS: From								
From								
From ft to ft From ft to ft								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From ft. to ft., From ft. ft ft. ft								
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well								
			1		ell			
FROM TO	LITHOLOGI	C LOG	FROM	TO	LITHO. LO	JG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 14 Sar								
14 40 med	1 Sand							
					-			
							4.49**	
- GOVERN GROPIS OF		A CENTRAL ATO)	. 11		. 1 🗆 .		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)								
under my jurisdiction and was completed on (mo/day/year)7 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
under the business name of								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								