	WATER	WELL F	RECO	RD F	orm V	VWC-5 K	SA 82a-	1212				
1 LOCATION OF WATER WELL:	FRACTION				s	ECTION NUMBER	R TOWN	ISHIP NUMBER	RA	RANGE NUMBER		
Sedgwick		/4 NE	1/4	SE	1/4	29	<u> </u>	26 S	R	1E	E/W	
Distance and direction from nearest town or city	street address of	well if located	d within cit	ty?								
Big Ditch												
	NOCO-PHII	LLIPS						Board o	of Agriculture, Divis	ion of Wa	ter Resource	
	) E. 37th N.	_					7210		-			
	hita, Kansas				_	ZIP CODE: 6		Application	n Number:	20110	303	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF CO	MPLETED	WELL:	3:	5	ft.	ELEVATIO	N:				
	pth of groundwa	ater Encour	ntered:			ft.		ft.			ft.	
	ELL'S STATIC \	WATER LE	VEL	10	FT. BE	LOW LAND SU	JRFACE ME	ASURED ON	mo/day/yr:	7/25/	11	
NWNE	ſ	Pump test of	data:	Well wa	ter was		ft. after	r h	nours of pumping	9@	gpn	
W F F	Est. Yield:	gpn		Well wa			ft. afte	r I	nours of pumpin	9@	gpm	
	Bore Hole Diame		12 ir	٦.	to	. <b>35</b> ft.	and	i	n.	to	ft.	
	ELL WATER TO	BE USED 3. <b>Feedlot</b>		Dublic wa		Ju 7 Jawn:	and garden	9. Dew	atoring .	-	ion well	
	l. Domestic			Public wa		•	-	-	12. Oti	ner (Spe	cify below	
i	2. <b>Irrigation</b> Was a chemical/ba	4. Industri		Oil field w	-		nditioning NO		es, what mo/da	v/vr wa	s sample	
	ubmitted	cicnological .	oumpic sc	Jonnica to t	Departme		Vater Well D	-	YES	N	-	
5 TYPE OF CASING USED:	E Menu	abi lese	7 (	-ihoralaaa	9	. Other (Specify	(below)	CASING JOIN	TS: Glued	-	Threaded	
1. Steel 3. RPM (S	R) 5. Wroug	gnuiron	/, r	Fiberglass		` ' '	<i>D</i> 0.011,	0,101110	Welded		Clamped	
2. PVC 4. ABS	6. Asbes	tos-Cemen	nt 8. (	Concrete t	ile S	DR-26						
Blank casing diameter 8	in. to	20 1	ft.,	Dia.	in	. to	ft.,	Dia.	in.	to	ft.	
Casing height above land surface:	12 in.,		w	eight:	5.52	lbs. / ft.	Wa	all thickness or	gauge No	.332		
TYPE OF SCREEN OR PERFORATION	,								90090 . 10.	.552		
1. Steel 3. Stainless Steel	5. Fibergla	ss	(7. P	vc	9	. ABS	11	. Other (specif	y)			
2. Brass 4. Galvanized	6. Concrete	e Tile	8. R	MP (SR)	10	). Asbestos-Cer	ment 12	. None used (d	pen hole)			
SCREEN OR PERFORATION OPENIN	GS ARE:											
1. Continuous slot 3. Mill s		5. Gauzed	wrapne	d	7	Torch cut	9 1	Drilled holes	11. No	ne ( on	en hole)	
l			• •	_						( • μ		
2. Louvered shutter 4. Key p	unched	6. Wire wra	appea			Saw cut	10.	Other (specify	")			
SCREEN - PERFORATION INTERVAL	From	20	ft.	to	35	ft.,	From	ft.		to	ft.	
	From		ft.	to		ft.,	From	ft.		to	ft.	
GRAVEL PACK INTERVALS:	From	20	ft.	to	35	ft.,	From	ft.		to	ft.	
	From		ft.	to	)	ft.,	From	ft.		to	ft.	
6 GROUT MATERIALS: 1. Neat	cement	0.0		4	-							
Grout Intervals: From 0		2. Ce to <b>20</b>	ment G			3. Bentonite			entonite ho			
What is the nearest source of possible of		.0 20	π.,	From		ft. to	ft.	, From	ft.	to	ft.	
1. Septic tank 4. Latera	l lines	7. Pit priv	<b>/</b> y	1	0. Lives	tock pens	13. <b>ins</b>	ecticide stora	ge 15. Oil	well/Ga	s well	
·						storage	14. <b>Ab</b>	andon water v	vell 16. Oth	16. Other (specify below)		
3. Watertight sewer line 6. Seepa	ae pit	9. Feed y	ard	1	12. Fertil	izer storage			Non	е Арр	arent	
Direction from well?	.g- p	•				•	Hov	w many feet?	10 ft. plus			
From To	LITHOLOG	IC LOG	}		Fror	n To			LOGIC LO	G		
0 3 topsoil												
3 9 clay											***	
9 22 fine sand					ļ							
22 35 medium sand	l											
					ļ							
					-							
					<del> </del>				<del></del>			
	-				t							
					1							
					<u> </u>							
Contractor's or Landowner's Certifi	cation: This wat	er well was	1.00	nstructed	<b>)</b> 2.	reconstructed	I or 3.	plugged	under my ju	risdictio	n and	
was completed on (mo/day/year)	7/26/201	1	and th	nis record	is true to	the best of my	knowledae a	ind belief.				
						•	•		1/26/2011			
Kansas Water Well Contractor's Licen				o walti Wt		was completed		·	//26/2011			
under the business name of <b>Harp</b>	Well and Pi	ump Ser	vice		by	(signature)	•	Todd	√S. Ha	rp		